NOTES ON THE LIGNEOUS PLANTS DESCRIBED BY H. LEVEILLE FROM EASTERN ASIA

ALFRED REHDER

ADDITIONS AND CORRECTIONS¹

Populus Bonatii Léveillé. — Rehder in Jour. Arnold Arb. 10: 112 (1929). — Add: Handel-Mazzetti, Symb. Sin. 7: 59 (1929).

Populus adenopoda Maximowicz. — Rehder in op. cit. 17:65 (1936). — Add as synonym:

Populus rotundifolia var. macranthela (Léveillé & Vaniot) Léveillé, Fl. Kouy-Tchéou, 380 (1915); Cat. Pl. Yun-Nan, 250 (1917).

Salix amygdalina var. nipponica (Franch. & Sav.) Schneider. — Rehder in op. cit. 10: 113 (1929).

Salix triandra var. discolor "Andersson" ex Nakai, Fl. Kor. Sylv. 18: 87, t. 11 (1930), vix Andersson

Nakai l. c. enumerates S. Kinashii Lévl. together with S. amygdalina var. nipponica as a synonym of S. triandra var. discolor [= S. amygdalina var. glaucophylla (Ser.) Seemen] but it seems doubtful if var. discolor is identical with var. nipponica which differs in the leaves being pubescent when young and usually smaller and narrower.

Salix koreensis Andersson. — Rehder in op. cit. 10: 114 (1929). — Nakai in Bull. Soc. Dendr. France, 1928: 51; Fl. Kor. Sylv. 18: 164, t. 38 (1930).

Salix pseudo-lasiogyne Léveillé in Fedde, Rep. Spec. Nov. 10: 436 (1912). — Nakai in Bull. Soc. Dendr. France, 1928: 47; Fl. Kor. Sylv. 18: 168, t. 39 (1930).

Nakai (l. c.) enumerates S. Feddei Lévl., S. pogonandra Lévl., S. pseudo-Gilgiana Lévl., and S. pseudo-jessoensis Lévl., as synonyms, but considers S. pseudo-lasiogyne a distinct species which seems to differ chiefly in its linear-lanceolate to lanceolate leaves, but is hardly specifically different.

Salix hallaisanensis Léveillé in Fedde, Rep. Spec. Nov. 10: 435 (1912). — Nakai in Tokyo Bot. Mag. 32: 30 (1918); in Bull. Soc.

¹Continued from Vol. 18: 206-257.

Dendr. France, 1928: 46; Fl. Sylv. Kor. 18: 129, t. 24 (1930). — Mori, Enum. Cor. Pl. 110 (1922).

Salix caprea "Linnaeus" ex Schneider in Sargent, Pl. Wilson. 3: 149 (1916). — Rehder in Jour. Arnold Arb. 10: 116 (1929). — Vix Linné.

Salix hallaisanensis var. nervosa Léveillé, 1. c.

Nakai (l. c.) takes up Léveillé's name for the plant of northeastern Asia referred by most authors to *S. caprea*. He states that it differs from typical *S. caprea* in having longitudinal striations on the wood under the bark. Such elevated striations are present on the wood of 2–5-year-old branches in *S. aurita* L. and *S. cinerea* L., but are lacking in *S. caprea*. Nakai also refers to *S. hallaisanensis* as *S. hallaisanensis* var. orbicularis (Anderss.) Nakai, the Kamschatkan *S. Hultenii* Floderus.

Salix Blinii Léveillé. — Rehder in op. cit. **10**: 117 (1929). — Nakai in Bull. Soc. Dendr. France, **1928**: 46, 51; Fl. Sylv. Kor. **18**: 106, t. 18 (1930).

Nakai refers as Schneider did, S. Taquetii Lévl. as a synonym to S. Blinii and figures of the latter a sterile branch and a branch with pistillate flowers.

Salix Gilgiana Seemen, Salic. Jap. 59, t. 13a-d (1903). — Léveillé in Bull. Intern. Acad. Géog. Bot. 16: 145 (1906). — Nakai, Fl. Sylv. Kor. 18: 112, t. 19 (1930).

Salix gymnolepis Léveillé & Vaniot in Fedde, Rep. Spec. Nov. 3:22 (1907). — Matsumura, Ind. Pl. Jap. 2, pt. 2:10 (1912).

Salix purpurea L. subsp. gymnolepis (Lévl.) Koidzumi in Tokyo Bot. Mag. 27: 267 (1913).

Salix Makinoana Seemen, p. p.

Nakai refers S. gymnolepis Lévl., which was placed by Schneider under S. Makinoana Seemen as a synonym, to S. Gilgiana. He also cites S. Makinoana Seemen, p. p., as a synonym of S. Gilgiana. I cannot see any difference between S. gymnolepis Lévl. represented in this herbarium by an isotype, and Nakai's illustration of S. Gilgiana, nor with the specimens of that species in this herbarium. Salix Makinoana is not represented in this herbarium; as long as its staminate flowers are unknown, its position must remain doubtful.

Quercus glandulifera Blume, Mus. Bot. Lugd.-Bat. 1: 295 (1850).

Quercus serrata Thunberg. — Rehder in op. cit. 10: 120 (1929).

Quercus coreana Léveillé.

Since Quercus serrata Thunb, is being proposed as a nomen ambiguum and will in all probability be accepted as such, the correct name for this species will be Q. glandulifera Bl.

Cudrania tricuspidata (Carr.) Bureau in Lavallée, Arb. Segrez. 243 (1877).

Vanieria tricuspidata (Carr.) Hu. — Rehder in op. cit. 17:72 (1936). Morus integrifolia Léveillé & Vaniot.

Since *Cudrania* Tréc. has been proposed as a nomen conservandum and was accepted by a majority vote of the former Committee (cf. Internat. Rules Bot. Nomencl. ed. 3, p. 133, no. 1942. 1935), a vote which will doubtless be finally confirmed, the valid name of the genus will be *Cudrania*.

Lindera communis Hemsley in Jour. Linn. Soc. Bot. 26: 387 (1891).

Benzoin commune (Hemsl.) Rehder in op. cit. 1: 144 (1919); 10: 194 (1929). — Allen in Jour. Arnold Arb. 17: 330 (1936).

Since *Lindera* Thunb. has been proposed as a nomen conservandum and was accepted by a majority vote of the present Committee (cf. Internat. Rules Bot. Nomencl., ed. 3, p. 134, no. 2821. 1935) this and the two following species will be transferred to *Lindera*, and the synonyms *Litsaea Esquirolii* Lévl., *Litsea Cavaleriei* Lévl., *Lindera Bodinieri* Lévl. and *L. yunnanensis* Lévl. will be referred to *Lindera communis*.

Lindera glauca (Sieb. & Zucc.) Blume, Mus. Bot. Lugd.-Bat. 1: 325 (1850).

Benzoin glaucum Siebold & Zuccarini. — Rehder in op. cit. 10: 195 (1929). — Allen in op. cit. 17: 331 (1936).

Pirus brunnea Léveillé.

Lindera megaphylla Hemsley in Jour. Linn. Soc. Bot. 26:389 (1891).

Benzoin grandifolium Rehder in op. cit. 1: 145 (1919).

Benzoin touyunense (Lévl.) Rehder in op. cit. 10: 194 (1929), proparte.

Benzoin touyunense f. megaphyllum (Hemsl.) Rehder in op. cit. 11: 158 (1930). — Allen in op. cit. 17: 331 (1936).

Under the genus *Lindera*, the oldest specific epithet *L. megaphylla* remains valid, but in transferring the species to *Benzoin*, the epithet had to be changed on account of the older homonym *B. megaphyllum* Kuntze.

Lindera megaphylla f. touyunensis (Lévl.), comb. nov.

Litsea touyunensis Léveillé in Fedde, Rep. Spec. Nov. 11:63 (1912); Fl. Kouy-Tchéou, 220 (1914).

Benzoin touyunense (Lévl.) Rehder in op. cit. 10: 194 (1929); 11: 158 (1930). — Allen in op. cit. 17: 331 (1936).

This form differs from typical L. megaphylla in the pubescent underside of the leaves and is, as I have stated (l. c. 11: 158–159) less widely distributed than the typical glabrous form.

Dumasia villosa De Candolle. — Rehder in op. cit. **13**: 330 (1932); **18**: 208 (1937). — Handel-Mazzetti, Symb. Sin. **7**: 578 (1933). — Add as a synonym:

Apios Martini Léveillé, Fl. Kouy-Tchéou, 225 (1914).

CHINA. K w e i c h o u : Gan-pin, haies, L. Martin in herb. Bodinier no. 1825, Aug.—Sept. 1897 (holotype of Apios Martini; ex Léveillé et ex Handel-Mazzetti).

Apios Martini was identified with Dumasia villosa by Handel-Mazzetti who saw the type.

Campylotropis polyantha (Franch.) Schindler. — Rehder in op. cit. 13: 329 (1932).

For Lespedeza dichromocalyx read:

Lespedeza dichromoxylon Léveillé, Fl. Kouy-Tchéou, 236 (1914); Cat. Pl. Yun-Nan, 157 (1916).

Also in the enumeration of specimens line 2, 4 and 6, change L. dichromocalyx to L. dichromoxylon.

Pueraria Thunbergiana (Sieb. & Zucc.) Bentham. — Rehder in op. cit. 13: 331 (1932).

For Pueraria coerulea read:

Pueraria caerulea Léveillé & Vaniot in Bull. Soc. Bot. France, 55: 427 (1908).

Iodes ovalis Blume. — Rehder in op. cit. 15: 2 (1934).

For Vitis Seguini . . . read as follows:

Vitis Seguini Léveillé, Fl. Kouy-Tchéou, 28 (1914), pro parte, specimine typico exclud.

Buddleia officinalis Maxim. f. albiflora (Lévl.) comb. nov.

Buddleia Mairei f. albiflora, Léveillé, Cat. Pl. Yun-Nan, 171 (1916).

Buddleia acutifolia C. H. Wright f. albiflora (Lévl.) Rehder in op. cit.

18: 234 (1936).

Alstonia Mairei Léveillé. — Rehder in op. cit. 18: 235 (1937).

Léveillé in his Cat. Pl. Yun-Nan, 279 (1917), refers A. Mairei as a synonym to A. venenata R. Br. which belongs to a different section.

Triosteum himalayanum Wallich. — Léveillé, Cat. Pl. Yun-Nan, 281 (1917). — Johnston in Jour. Arnold Arb. 18: 21 (1937). — Rehder in op. cit. 18: 250 (1937).

Echium connatum Léveillé.

Vernonia arborea Hamilton. — Gagnepain in Bull. Soc. Bot. France, 67:364 (1921). — Rehder in op. cit. 18:250 (1937).

Vernonia Vanioti Léveillé.

Vernonia volkameriaefolia DeCandolle. — Gagnepain in op. cit.

67: 363 (1921). — Rehder in op. cit. 18: 250 (1937).

Vernonia Esquirolii Léveillé.

Vernonia saligna DeCandolle. — Gagnepain in op. cit. **67**: 363, 364 (1921). — Rehder in op. cit. **18**: 250 (1937).

Vernonia Martini Vaniot. Vernonia Seguini Vaniot.

Vernonia arbor Léveillé. — Gagnepain in op. cit. 67: 363 (1921).

Vernonia papillosa "Franchet" ex Rehder in op. cit. 18: 251 (1937),
quoad syn. V. Arbor Lévl.; non Franchet.

Vernonia extensa DeCandolle. — Gagnepain in op. cit. 67:363 (1921). — Rehder in op. cit. 18:252 (1937).

Vernonia subarborea Vaniot.

Conyza viscidula Wall. ex DeCandolle. — Gagnepain in op. cit. 67:363 (1921). — Rehder in op. cit. 18:252 (1937).

Blumea conyzoides Léveillé.

Inula indica L. var. hypoleuca Handel-Mazzetti, Symb. Sin. 7: 1107 (1936).

Aster lofouensis Léveillé & Vaniot. — Rehder in op. cit. 18:252 (1937).

According to Dr. Handel-Mazzetti (in litt.) Aster lofouensis is identical with his Inula indica var. hypoleuca.

Senecio spelaeicola (Vant.) Gagnepain in Bull. Soc. Bot. France, 67: 364 (1921) "spelaeicolus," in nota.

Senecio Walkeri "Arnott" ex Gagnepain in op. cit. 67: 363 (1921). — Rehder in op. cit. 18: 253 (1937). — Quoad syn. Vernonia spelaeicola; non Arnott.

Vernonia spelaeicola Vaniot. — Vide Rehder 1.c.

In a foot-note, Gagnepain states that *Vernonia spelaeicola* in the Museum herbarium is his *Senecio spelaeicola* and that the labels in the Léveillé herbarium had been interchanged. Doctor Handel-Mazzetti informs me (in litt.) that his *Senecio yalungensis* (Symb. Sin. 7: 1124) is a synonym of *S. spelaeicola*. The name *Senecio spelaeicola* does not appear in Index Kewensis.

Senecio Hoi Dunn in Jour. Linn. Soc. Bot. 35: 506 (1933).

Senecio Walkeri "Arnott" ex Gagnepain in op. cit. 67: 363 (1921). — Rehder in op. cit. 18: 253 (1937). — Quoad syn. Vernonia Esquirolii; non Arnott.

Vernonia Esquirolii Vaniot. - Vide Rehder, 1.c.

According to Doctor Handel-Mazzetti (in litt.) Vernonia Esquirolii is identical with Senecio Hoi Dunn.

INDEX

TO

NOTES ON THE LIGNEOUS PLANTS DESCRIBED BY H. LEVEILLE FROM EASTERN ASIA¹

ALFRED REHDER

The Index contains all Léveillé's names mentioned in the "Notes on the ligneous plants described by Léveillé from Eastern Asia," beginning in Vol. 10 (1929) and concluded in the present number. The majority of these names proved to be synonyms and these are followed by the name considered correct with reference to the page or pages of Vols. 10–18 of this Journal where the identification was published or additional information given. Author citations are appended to the names, so that the Index can be used to ascertain the identification without looking up the original publication which only needs to be consulted for the discussions and further statements and details. The author citations have been made more complete by the insertion of the parenthetical author citation which was not yet obligatory when most of the notes were published.

Synonyms are printed in italics; accepted names in roman.

Abelia Bodinieri Lévl. = A. myrtilloides Rehd. 16:334

- Cavaleriei Lévl. 16:335
- deutziaefolia Lévl. = A. Schumannii (Graebn.) Rehd. 16:334
- Mairei Lévl. = A. Schumannii (Graebn.) Rehd. 16:334
- parvifolia "Hemsl." ex Lévl., non Hemsl. = A. myrtilloides Rehd. 16:334
- verticillata Lévl. 16:334

Abutilon Cavaleriei Lévl. = A. indicum (L.) Sweet, 15:94

— Esquirolii Lévl. = Urena lobata L. 15:94

Acacia Cavaleriei Lévl. = A. Delavayi Franch. 13:321

Acanthopanax Bodinieri Lévl. = Brassaiopsis ciliata Dunn, 15:115

— Esquirolii Lévl. = Schefflera spec. 15:114.

Acer Bodinieri Lévl. = A. pictum f. tricuspis Rehd. 15:5

— Cavaleriei Lévl. = A. Davidi Franch. 15:7

¹See Vols. 10: 108-132, 184-196, 282; 12: 275-281; 13: 299-332, 464; 14: 223-252, 426; 15: 1-27, 89-117, 267-326, 377; 16: 311-340; 17: 53-82, 316-340, 371; 18: 26-53, 206-257, 273-277, 361

Acer coriaceifolium Lévl. 15:6

- cucullobracteatum Lévl. = A. crataegifolium Sieb. & Zucc. 15:7
- Dielsii Lévl. = Dipteronia sinensis Oliver, 15:4
- Fauriei Lévl. = A. Negundo L. 15:8
- Hayatae Lévl. & Vant. = A. Miyabei Maxim. 15:4
- var. glabra Lévl. & Vant. = A. pictum Thunb. 15:5
- lasiocarpum Lévl. & Vant. = A. caudatum Wall. var. ukurunduense (Maxim.) Rehd. 15:5
- oblongum var. erythrocarpum Lévl. = A. oblongum var. biauritum W. W. Smith, 15:6
- palmatum var. plicatum Lévl. = A. argutum Maxim. 15:8
- Paxii Franch. var. integrifolia Lévl. = A. oblongum Wallich ex DC. 15:5
- pellucidobracteatum Lévl. & Vant. = A. Tschonoskii Maxim. 15:7
- Prainii Lévl. = A. Fabri Hance var. rubrocarpum Metcalf, 15:6
- trifidum Hook. & Arn. var. formosanum Hay. ex Lévl. = A. Buergerianum Miq. var. formosanum (Hay. ex Koidz.) Rehd. 18:216
- Acronychia Esquirolii Lévl. = Alstonia yunnanensis Diels, 15:315; 18:235
- Actinidia arguta Planch. var. Dunnii Lévl. = A. purpurea Rehd. 15:96
- Dielsii Lévl. = A. Fortunati Fin. & Gagn. 15:97
- Rubus Lévl. 15:97
- Adina Fauriei Lévl. = A. rubella Hce. 18:247
- Aeschynanthus Dunnii Lévl. = Phlogacanthus pubinervis T. Anders. 16:315
- Esquirolii Lévl. = Bucklandia populnea R. Brown ex Wall. 17:333
- Aganosma Schlechterianum Lévl. = A. cymosa (Roxb.) G. Don, 15:315; 18:237
- Agapetes vaccinoidea Lévl. = Vaccinium japonicum var. sinicum (Nakai) Rehd. 15:288
- Ailanthus Esquirolii Lévl. =? 14:227
- Akebia Cavaleriei Lévl. [= Holboellia spec. 10:189] = Stauntonia obovata Hemsl. 17:320; 18:256
- Chaffanjoni Lévl. = A. trifoliata Koidz. var. australis (Diels) Rehd. 10:189
- lobata var. Chaffanjoni Lévl. = A. trifoliata Koidz. var. australis (Diels) Rehd. 10:189
- Albizzia Esquirolii Lévl. = A. kalkora (Roxb.) Prain, 13:321
- Alchornea Mairei Lévl. [= Tragia involucrata L. 14: 234] = Tragia Mairei (Lévl.) Rehd. 18:214
- Vanioti Lévl. = Croton Tiglium L. 14:232

Allomorphia Bodinieri Lévl. — Blastus pauciflorus (Benth.) Guillaumin, 15:111

— Cavaleriei Lévl. & Vant. = Phyllagathis Cavaleriei (Lévl. & Vant.) Guillaum. 15:113; 18:227, 361

Alnus Fauriei Lévl. & Vant. 10:118; 17:66

— Mairei Lévl. = A. nepalensis D. Don, 17:67

Alstonia Esquirolii Lévl. = A. yunnanensis Diels, 15:315; 18:235

— Mairei Lévl. 15:315; 18:235, 276

Alyxia Schlechteri Lévl. (1911) 15:316; 18:235

— Schlechteri Lévl. (1914) = Podocarpus neriifolius D. Don, 17:54

Andrachne Bodinieri Lévl. 14:229

- Cavaleriei Lévl. = Lysimachia capillipes Hemsl. var. Cavaleriei (Lévl.) Hand.-Mazz. 15:294; 18:232
- Esquirolii Lévl. 14:229; 18:212
- hypoglauca Lévl. = A. Bodinieri Lévl. 14:229
- Milliettii Lévl. = Lysimachia Milliettii (Lévl.) Hand.-Mazz. 18:232
- persicariifolia Lévl. = A. Esquirolii (Lévl.) 14:229; 18:257, 361

Anisophyllea Cavaleriei Lévl. — Vaccinium foetidissimum Lévl. & Vant. 15:286

Antidesma Seguini Lévl. = A. microphyllum Hemsl. 14:232

Antirrhaea Esquirolii Lévl. = Ecdysanthera rosea Hook. & Arn. 18:235

— Martini Lévl. = Sindechites Henryi Oliv. 18:238

Apios Mairei Lévl. = Dumasia villosa DC. 13:330

— Martini Lévl. = Dumasia villosa DC. 18:208, 276

Aralia Bodinieri Lévl. = Nothopanax Delavayi (Franch.) Harms, 15:115

- Labordei Lévl. = Toddalia asiatica (L.) Lam. 14:226
- Mairei Lévl. = Tetrapanax papyrifera (Hook.) K. Koch, 15:113

Ardisia Bodinieri Lévl. = A. brevicaulis Diels, 15:289

- castaneifolia Lévl. = A. Faberi Hemsl. 15:291
- Cavaleriei Lévl. = A. Faberi Hemsl. 15:291
- crispa var. Taquetii Lévl. = A. crispa (Thbg.) A. DC. 15:289
- Dielsii Lévl. [= A. Henryi Hemsl. var. Dielsii (Lévl.) Walk. 15:290] = A. crispa (Thunb.) DC. 18:232
- discolor Lévl. Cornus oblonga Wall. 15:116
- elegantissima Lévl. = A. elegans Andr. 15:290
- Esquirolii Lévl. = Lysimachia lancifolia Craib, 15:294
- Labordei Lévl. = A. crispa (Thbg.) A. DC. 15:289
- Mairei Lévl. = Chloranthus brachystachyus Bl. 10:111
- Meziana Lévl. = A. tenera Mez, 15:289
- perforata Lévl. = Alangium Faberi var. perforatum (Lévl.) Rehd. 15:108

Ardisia Taquetii Lévl. = A. crispa (Thbg.) A. DC. 15:289

Argyreia Seguini Vaniot ex Lévl. 15:319; 18:242

Aristolochia Blinii Lévl. = Ceropegia Balfouriana Schlechter, 18:240

- Bonatii Lévl. = A. moupinensis Franch. 10:184
- Feddei Lévl. 10:184
- Mairei Lévl. = Ceropegia Balfouriana Schlechter, 18:240
- viridiflora Lévl. = Ceropegia Balfouriana Schlechter, 18:240
- var. occlusa Lévl. = Ceropegia Balfouriana Schlechter, 18:240

Artabotrys Esquirolii Lévl. p. p. = Desmos cochinchinensis Lour. 17:234

— Esquirolii Lévl. p. p. = Holboellia coriacea Diels, 10:189; 17:321

Aspidopterys Cavaleriei Lévl. (1911), 14:228

- Cavaleriei Lévl. (1914) = Combretum Wallichii DC. 15:108
- Dunniana Lévl. = A. Cavaleriei Lévl. 14:228
- Esquirolii Lévl. 14:228, 426
- hypoglauca Lévl. = Tripterygium hypoglaucum (Lévl.) Hutchins. 14:252; 18:216
- Aster Cavaleriei Vant. & Lévl. = Microglossa albescens (DC.) Clarke, 18:252
- lo fouensis Lévl. & Vant. 18:252 Inula indica var. hypoleuca Hand.-Mazz. 18:277

Baccaurea Cavaleriei Lévl. 14:231

- Esquirolii Lévl. = Sapium rotundifolium Hemsl. 14:234
- Barthea Blinii Lévl. = Plagiopetalum Esquirolii (Lévl.) Rehd. 15:110
- Cavaleriei Lévl. p. p. = Plagiopetalum Esquirolii (Lévl.) Rehd. 15:110
- Cavaleriei Lévl. p. p. = Bredia Cavaleriei (Lévl.) Diels, 15:112

Bauhinia altefissa Lévl. = B. yunnanensis Franch. 13:322

- aurea Lévl. 13:322
- Cavaleriei Lévl. = B. densiflora Franch. 13:321
- Rocheri Lévl. = B. touranensis Gagnep. 13:321

Berberis bicolor Lévl. 10:189; 17:322

- Bodinieri Lévl. = B. Wilsonae Hemsl. 10:189
- Cavaleriei Lévl. (1911) [= B. Griffithiana Schneid. 10:189] 14:251 sub Gymnosporia Esquirolii; 17:321
- Cavaleriei Lévl. (1914) = Gymnosporia Esquirolii Lévl. 14:250
- elegans Lévl. = Mahonia elegans (Lévl.) Rehd. 17:322
- Esquirolii Lévl. = Gymnosporia Esquirolii Lévl. 14:250
- Ganpinensis Lévl. = Mahonia ganpinensis (Lévl.) Fedde, 10:190
- stenophylla "Hance" ex Lévl., non Hance = B. Julianae Schneid. 17:322

Berchemia alnifolia Lévl. = Corylopsis alnifolia (Lévl.) Schneid. 12:280

- Berchemia Cavaleriei Lévl. = Sageretia Henryi Drum. & Sprague, 15:13
- Chaneti Lévl. = Sageretia theezans (L.) Brongn. 15:13
- Betula vulcani Lévl. & Vant. = B. Ermani Cham. var. subcordata (Reg.) Koidz. 10: 118
- Bileveillea granulatifolia Lévl. = Blumea lanceolaria (Roxb.) Druce, 18:253
- Biophytum Esquirolii Lévl. 18:209
- Blastus Cavaleriei Lévl. & Vant. = B. pauciflorus (Benth.) Guillaumin, 15:111
- Dunnianus Lévl. 15:111
- Lyi Lévl. = Fordiophyton Faberi Stapf, 15:112
- Mairei Lévl. = Bredia yunnanensis (Lévl.) Diels, 15:112
- Marchandii Lévl. = B. cochinchinensis Lour. 15:111
- yunnanensis Lévl. = Bredia yunnanensis (Lévl.) Diels, 15:112
- Blumea conyzoides Lévl. & Vant. = Conyza viscidula Wall. ex DC. 18:252, 277
- granulatifolia (Lévl. & Vant.) Lévl. = B. lanceolaria (Roxb.) Druce, 18:253
- Bodiniera thalictrifolia Lévl. & Vant. = Boenninghausenia albiflora (Hook.) Meissn. 14:225; 18:210
- Bodinierella Cavaleriei Lévl. = Enkianthus chinensis Franch. 15:279; 18:230
- Boea Cavaleriei Lévl. & Vant. = Rhabdothamnopsis chinensis (Franch.)
 Hand.-Mazz. 18:246
- Boenninghausenia brevipes (Franch.) Lévl. = B. albiflora var. brevipes Franch. 14:225; 18:210
- sessilicarpa Lévl. = B. albiflora var. brevipes Franch. 14:225; 18:210

 Bredia Bodinieri Lévl. = Blastus pauciflorus (Benth.) Guillaumin,

 15:311
- Cavaleriei Lévl. & Vant. = Fordiophyton Faberi Stapf, 15:112
- Mairei Lévl. = Fordiophyton Faberi Stapf, 15:112
- soneriloides Lévl. = Oxyspora paniculata DC. 15:110
- Buddleia Mairei Lévl. [=B. acutifolia C. H. Wright, 15:310] = B. officinalis Maxim. 18:234
- Mairei f. albiflora Lévl. [= B. acutifolia f. albiflora (Lévl.) Rehd. 15:310] = B. officinalis Maxim. f. albiflora (Lévl.) Rehd. 18:276
- plectranthoidea Lévl. = Leucosceptrum plectranthoideum (Lévl.) Marqand, 16:311
- truncatifolia Lévl. = B. tibetica W. W. Sm. var. truncatifolia (Lévl.) Marquand, 15:310; 18:234
- Buxus Bodinieri Lévl. = B. microphylla var. aemulans Rehd. & Wils. 14:236, 426

Buxus cephalantha Lévl. & Vant. = B. Harlandi Hance var. cephalantha (Lévl. & Vant.) Rehd. 14:237.

- megistophylla Lévl. 14:236; 18:215
- Myrica Lévl. 14:236; 18:215
- sempervirens var. microphylla "S. & Z." ex Lévl., non S. & Z. = B. Harlandi Hance var. cephalantha (Lévl. & Vant.) Rehd. 14:237 Callicarpa Bodinieri Lévl. 15:321; 18:243
- Cavaleriei Lévl. = Ilex purpurea Hassk. 14:239
- Dunniana Lévl. = C. macrophylla Vahl, 15:320
- Esquirolii Lévl. (No. 551) = Caryopteris paniculata C. B. Clarke, 18:243
- Esquirolii Lévl. (No. 665) = Dichroa febrifuga Lour. 12:278
- Feddei Lévl. = C. Bodinieri Lévl. 15:321
- Lyi Lévl. = C. Bodinieri var. Lyi (Lévl.) Rehd. 15:322; 18:243
- macrophylla var. Kouytchensis Lévl. = C. macrophylla Vahl, 15:320
- Mairei Lévl. = C. Bodinieri var. Giraldii (Rehd.) Rehd. 15:322; 18:243
- Martini Lévl. = Caryopteris paniculata C. B. Clarke, 15:326; 18:243
- panduriformis Lévl. = C. rubella Lindl. var. Hemsleyana Diels, 15:323
- Seguini Lévl. = C. Bodinieri Lévl. 15:321
- Taquetii Lévl. = C. dichotoma (Lour.) Raeusch. 15:324
- Camellia Costei Lévl. [= Thea Costei (Lévl.) Rehd. 15:98] 18:223
- japonica "L." ex Lévl., non L. [= Thea Pitardii (C. Stuart) Rehd. 15:98] = Camellia Pitardii C. Stuart, 18:723

Canthium Cavaleriei Lévl. = Lasianthus spec. 16:324

- Dunnianum Lévl. = Lasianthus Hartii Franch. 16:323; 18:249
- Henryi Lévl. = Prismatomeris Henryi (Lévl.) Rehd. 16:328
- Labordei Lévl. [= Lasianthus Labordei (Lévl.) Rehd. 13:340; 16:323] = Prismatomeris Labordei (Lévl.) Merr. 18:249

Capparis Bodinieri Lévl. 10:195

- masaikai Lévl. p. p. 10:195
- masaikai Lévl. p. p. = Reevesia pubescens Mast. 15:96

Caragana Komarovi Lévl. = C. Franchetiana Komar. 13:326

Carpinus Esquirolii Lévl. = Engelhardtia Colebrookiana Lindl. 10:118

- laxiflora Bl. var. chartacea Lévl. = C. laxiflora Bl. 17:67
- pinfaensis Lévl. & Vant. = C. Seemeniana Diels, 17:67

Carrierea Dunniana Lévl. 15:102

Caryopteris Esquirolii Lévl. = Pogostemon glaber Benth. 16:313

- fluminis Lévl. = Colquhounia Seguini Vaniot, 16:311
- Mairei Lévl. = Teucrium palmatum Benth. 18:244, 361

- Cassiope Mairei Lévl. = C. selaginoides Hooker f. & Thoms. 15:280
- Castanea Bodinieri Lévl. & Vant. = Castanopsis hystrix (Hook. f. & Th.) A. DC. 10:118; 17:68
- Fauriei Lévl. & Vant. = Castanopsis cuspidata (Thbg.) Schottky, 17:68
- Castanopsis asymetrica Lévl. [= C. caudata Franch. 10:119] = C.Eyrei (Champ.) Tutcher, 17:69
- Cavaleriei Lévl. = Sloanea sinensis (Hance) Hu, 15:91
- yunnanensis (Franch.) Lévl. = Castanea mollissima Bl. 17:68
- spec. Lévl. = Gordonia axillaris (Ker) Szysz. 18:224
- Cavaleriea enkianthoidea Lévl. = Ribes laurifolium Jancz. 12:279
- Cavaleriella cordata Lévl. = Aspidopterys Esquirolii Lévl. 14:228, 426
- Dunniana Lévl. = Dipelta yunnanensis Franch. 16:333
- Celastrus Bodinieri Lévl. = Ilex purpurea Hassk. 14:239
- Cavaleriei Lévl. (1914) = Myrsine semiserrata Wall. 15:292
- Cavaleriei Lévl. (1916) = C. stylosa Wall. 14:250
- clemacanthus Lévl. = C. flagellaris Rupr. 14:250
- Esquiroliana Lévl. = Rhamnus crenatus Sieb. & Zucc. 15:13
- Esquirolii Lévl. = Sabia parviflora Wall. var. nitidissima Lévl. 15:10
- euonymoidea Lévl. [= Grewia biloba G. Don, 15:92] = Grewia Feddei (Lévl.) Burret, 18:220
- Feddei Lévl. p. p. = Grewia Feddei Burret, 18:220
- Feddei Lévl. p. p. = Grewia Henryi Burret, 18:221
- Kouytchensis Lévl. = Rhamnus crenatus Sieb. & Zucc. 15:13
- Lyi Lévl. = Rhamnus Esquirolii Lévl. 15:14
- Mairei Lévl. = Sabia yunnanensis Franch. 15:9
- salicifolia Lévl. = Ilex macrocarpa Oliver, 14:242
- Seguini Lévl. = Myrsine semiserrata Wall. 15:292
- suaveolens Lévl. = Ilex suaveolens (Lévl.) Loes. 14:239
- tristis Lévl. = Rhamnus napalensis (Wall.) M. A. Laws. 15:14
- yunnanensis Lévl. Premna parvilimba P'ei, 15:324
- Celtis Bodinieri Lévl. 10:122
- Bungeana Bl. var. heterophylla Lévl. = C. Biondii Pamp. var. heterophylla (Lévl.) Schneid. 10:123; 18:255
- Cavaleriei Lévl. = C. Biondii Pamp. var. Cavaleriei (Lévl.) Schneid. 10:123
- Mairei Lévl. = C. Bungeana Bl. 10:122
- polycarpa Lévl. = Bischofia javanica Bl. 18:213
- Cephalanthus Cavaleriei Lévl. = Uncaria scandens (Sm.) Hutchins. 16:319
- Esquirolii Lévl. = Camptotheca acuminata Done. 18:226, 361

- Cephalanthus Navillei Lévl. = Neonauclea Navillei (Lévl.) Rehd. 16:319
- Chionanthus coreanus Lévl. = C. retusa var. coreana (Lévl.) Nakai, 15:304
- retusa var. Mairei Lévl. = C. retusa Lindl. & Paxt. 15:304
- Chloranthus Esquirolii Lévl. = C. brachystachyus Bl. 10:111
- Chrysanthemum *indicum* L. var. *coreanum* Lévl. = C. indicum L. 18:253 Cinnamomum Bodinieri Lévl. 17:324
- Cavaleriei Lévl. = C. Parthenoxylon Meissn. in DC. 17:325
- Esquirolii Lévl. = Cocculus laurifolius DC. 17:323
- Mairei Lévl. 10:192
- Taquetii Lévl. = C. Camphora Nees & Eberm. 17:324
- Citrus Cavaleriei Lévl. ex Cavalerie = C. ichangensis Swingle, 14:227
- Cladrastis Fauriei Lévl. = Maackia Fauriei (Lévl.) Takeda, 13:323
- Clausena Dunniana Lévl. 14:226; 18:210
- Esquirolii Lévl. = Glycosmis Esquirolii (Lévl.) Tanaka, 14:226
- excavata "Burm." ex Lévl., non Burm. = C. Dunniana Lévl. 18:210
- Willdenowii "W. & A." ex Lévl., non Wight & Arn. = C. Dunniana Lévl. 14:226
- Clematis Cavaleriei Lévl. & Porter = C. chinensis Retz. 10:187
- Chanetii Lévl. 10:188
- Clarkeana Lévl. & Vant. 10:185
- Coreana Lévl. = C. fusca Turcz. 10:185
- coriigera Lévl. = C. trullifera Fin. & Gagnep. 17:318
- dioscoreifolia Lévl. & Vant. = C. paniculata Thbg. var. dioscoreifolia (Lévl. & Vant.) Rehd. 10:188
- Drakeana Lévl. & Vant. = C. uncinata Champ. 10:188
- Duclouxii Lévl. 10:187
- Esquirolii Lévl. & Vant. = C. smilacifolia Wall. 10:187
- Finetiana Lévl. & Vant. = C. Pavoliniana Pamp. 10:187; 18:256
- funebris Lévl. & Vant. = C. chinensis Retz. 10:187
- Gagnepainiana Lévl. & Vant. = C. uncinata Champ. 10:188
- Kuntziana Lévl. & Vant. = C. montana Buch.-Ham. ex DC. 10:186
- Mairei Lévl. = ? C. ranunculoides Franch. var. tomentosa Fin. & Gagnep. 17:317
- Martini Lévl. = C. Gouriana Roxb. ex DC. 10:188; 17:318
- oligocarpa Lévl. & Vant. = C. chinensis Retz. 10:187
- Philippiana Lévl. & Vant. = C. pterantha Dunn, 10:186
- splendens Lévl. & Vant. p. p. = C. Leschenaultiana DC. 10:186
- splendens Lévl. & Vant. p. p. = C. rubifolia Wright, 10:186
- urophylla "Franch." ex Lévl., non Franch. = C. ranunculoides Franch. var. tomentosa Fin. & Gagnep. 17:317

- Clematis *urophylla* var. *heterophylla* Lévl. = C. ranunculoides Franch. var. tomentosa Fin. & Gagnep. 17:317
- Vanioti Lévl. & Porter, 10:186
- Vitalba L. var. argentilucida Lévl. & Vant. = C. grata Wall. var. argentilucida (Lévl. & Vant.) Rehd. 17:318
- Ganpiniana Lévl. & Vant. = C. parviloba Gardn. & Champ. var. ganpiniana (Lévl. & Vant.) Rehd. 17:319
- var. micrantha Lévl. & Vant. = C. Gouriana Roxb. ex DC. 17:318
- Clerodendron Bodinieri Lévl. = C. mandarinorum Diels, 15:325
- Cavaleriei (Lévl.) Lévl. = C. mandarinorum Diels, 15:325
- Cavaleriei Lévl. = C. mandarinorum Diels, 15:325
- Darrisii Lévl. = C. japonicum (Thbg.) Sweet, 15:325
- Esquirolii Lévl. (no. 943) = Tacca Esquirolii (Lévl.) 17:64
- Esquirolii Lévl. (no. 961) = C. japonicum (Thbg.) Sweet, 15:325
- Leveillei Fedde ex Lévl. = C. japonicum (Thbg.) Sweet, 15:325
- Clethra Bodinieri Lévl. 15:267; 18:228
- Cavaleriei Lévl. 15:267; 18:228
- Esquirolii Lévl. = C. Cavaleriei Lévl. 15:267; 18:228
- kaipoensis Lévl. 15:268; 18:228
- lineata Lévl. = C. Cavaleriei Lévl. 15:267
- pinfaensis Lévl. = C. kaipoensis Lévl. 15:268
- Colquhounia Seguini Vaniot, 16:311
- Corchorus Cavaleriei Lévl. = Helicteres glabriuscula Wall. 15:96
- Cornus Amblardi Lévl. = C. paucinervis Hance, 15:117
- Bodinieri Lévl. = C. macrophylla Wall. 15:116
- capitata var. hypoleuca Lévl. = C. capitata Wall. var. mollis Rehd. 15:117
- Esquirolii Lévl. = Adina racemosa Miq. 16:319
- Fauriei Lévl. = C. canadensis L. 15:117
- rosea Lévl. = C. Monbeigii Hemsl. 15:116
- Corylopsis Cavaleriei Lévl. = C. Wilsonii Hemsl. 12:281
- Cotoneaster Blinii Lévl. = Photinia Blinii (Lévl.) Rehd. 17:335
- Bodinieri Lévl. = Docynia Delavayi (Franch.) Schneid. 13:309
- coreanus Lévl. = Symplocos paniculata (Thbg.) Miq. 15:297
- Esquirolii Lévl. = Photinia Esquirolii (Lévl.) Rehd. 17:334
- Mairei Lévl. = C. Franchetii Bois, 13:302
- var. albiflora Lévl. = C. Franchetii Bois, 13:302
- Crataegus Academiae Lévl. = Xylosma racemosum (Sieb. & Zucc.) Miq. 15:101
- Argyi Lévl. & Vant. = C. cuneata Sieb. & Zucc. 13:303
- biloba Lévl. = Symplocos paniculata f. biloba (Lévl.) Rehd. 15:297

- Crataegus Bodinieri Lévl. = C. scabrifolia (Franch.) Rehd. 13:302
- Cavaleriei Lévl. & Vant. (1908) = Malus Sieboldii (Reg.) Rehd. 13:308
- Cavaleriei Lévl. (1915) = Photinia parvifolia Schneid. 13:305
- Chantcha Lévl. = C. cuneata Sieb. & Zucc. 13:303
- coreanus Lévl. = C. pinnatifida Bge. 13:303
- Lyi Lévl. = Symplocos paniculata (Thbg.) Miq. 15:297
- Pomasae Lévl. = Deutzia glabrata Komar. 12:276
- stephanostyla Lévl. & Vant. = C. cuneata Sieb. & Zucc. 13:303
- Taquetii Lévl. = Malus Sieboldii (Reg.) Rehd. 13:308

Crotalaria Mairei Lévl. 18:206

- spec. Lévl. = Polygala arillata D. Don, 18:211
- Cudrania Bodinieri Lévl. = Capparis cantoniensis Lour. 17:332; 18:257
- Cunninghamia sinensis var. prolifera Lemée & Lévl. = C. lanceolata (Lamb.) Hook. 17:55
- Cupressus Mairei Lévl. [= C. Duclouxiana Hickel, 10:110] = Cryptomeris japonica (L. f.) D. Don, 17:55
- Cynanchum Boudieri Lévl. & Vant. = C. caudatum (Miq.) Maxim. 18:239
- tylophoroideum Schlechter ex Lévl. = C. Mooreanum Hemsl. 18:239
- yunnanense Lévl. [= Paederia Wallichii Hook. f. 16:325] = P. yunnanensis (Lévl.) Rehd. 18:249
- Dalbergia Cavaleriei Lévl. 13:330; 18:208
- Esquirolii Lévl. 13:329, 464
- Damnacanthus Esquirolii Lévl. [= Arduina Carandas (L.) K. Schum. 15:312] = Carissa Carandas L. 18:235
- Daphne Argyi Lévl. = Myrica rubra Sieb. & Zucc. 10:118
- Bodinieri Lévl. (1914) [= Alyxia Bodinieri (Lévl.) Woods. 15:316] = A. Schlechteri Lévl. 18:235
- Bodinieri Lévl. (1915) = D. tangutica Maxim. 15:104
- Cavaleriei Lévl. = D. papyracea Wall. ex Meissn. 15:105
- Esquirolii Lévl. 15:105
- Feddei Lévl. 15:105; 18:226
- leuconeura var. Mairei Rehd. & Lévl. = D. Esquirolii Lévl. 15:105
- Mairei Lévl. = D. papyracea Wall. ex Meissn. 15:105
- Martini Lévl. = D. Feddei Lévl. 15:105
- salicina Lévl. = Wikstroemia salicina (Lévl.) Lévl. & Blin, 15:104
- Daphniphyllum Cavaleriei Lévl. = Nyssa sinensis Oliver, 15:107

Dendropanax morbiferus Lévl. 18:227

- Desmodium barbigerum Lévl. = D. concinnum DC. 13:328
- Bodinieri Lévl. = D. racemosum (Thunb.) DC. 13:326

- Desmodium Cavaleriei Lévl. = D. gangeticum (L.) DC. 13:328
- Esquirolii Lévl. [= D. cinerascens Franch. 13:327] 18:207
- oxalidifolium Lévl. p. p. = D. gyroides (Roxb.) DC. 13:327
- oxalidifolium Lévl. p. p. = D. Griffithianum Benth. 13:327
- Deutzia Chaffanjoni Lévl. [=D. lancifolia Rehd. 12:276] = D. Esquirolii (Lévl.) Lévl. 14:202; 17:333
- Chanetii Lévl. = Philadelphus pekinensis Rupr. 12:275
- coreana Lévl. 12:276
- cyanocalyx Lévl. 12:276
- Esquirolii Lévl. [= D. lancifolia Rehd. 12:276] = D. Esquirolii (Lévl.) Rehd. 14:202; 17:333
- Fauriei Lévl. = D. glabrata Komar. 12:276
- funebris Lévl. = Brandisia racemosa Henry 16:315; 18:345
- mollis var. erythrocalyx Lévl. = Philadelphus Henryi Koehne, 12:275

Dichroa Henryi Lévl. = D. febrifuga Lour. 12:278

Didymocarpus Cavaleriei Lévl. = Aeschynanthus spec. 18:246

Diospyros Argyi Lévl. = D. Kaki L. f. var. silvestris Mak. 15:295

- Bodinieri Lévl. = Ilex macrocarpa Oliv. 14:242; 18:215
- Chaffanjoni Lévl. = Cotoneaster horizontalis Decne. 13:302, 464
- Esquirolii Lévl. 15:294; 18:233
- Mairei Lévl. = D. mollifolia Rehd. & Wils. 15:294
- Navillei Lévl. = Lysimachia Navillei (Lévl.) Hand.-Mazz. 15:293

Dischidia yunnanensis Lévl. = Tylophora spec. 18:241

Distylium Dunnianum Lévl. = D. chinense (Fr.) Diels, 12:280

Dysoxylon Esquirolii Lévl. [= Chickrasia tabularis A. Juss. 14:227, 426] = Chukrassia tabularis A. Juss. 18:210

Echinocarpus Cavaleriei Lévl. = Evonymus subtrinervis Rehd. 14:247

- erythrocarpa Lévl. = Evonymus acanthocarpa Franch. 14:246
- Esquirolii Lévl. = Evonymus subtrinervis Rehd. 14:247
- hederaerhiza Lévl. = Evonymus aculeata Hemsl. 14:246

Echium connatum Lévl. = Triosteum himalayanum Wall. ex Roxb. 18:250, 276

Ehretia Argyi Lévl. = E. acuminata R. Br. 18:243

- Dunniana Lévl. 15:320
- Esquirolii Lévl. (1913) = ?; see under Tarenna mollissima, 16:320
- Esquirolii Lévl. (1914) = Tarenna mollissima (H. & A.) Merr. 16:320

Elaeagnus Argyi Lévl. = E. umbellata Thunb. 18:226

- coreanus Lévl. = E. umbellata Thunb. 18:226
- umbellata var. coreana (Lévl.) Lévl. 18:226 = E. umbellata Thunb. 18:226

- Eleutherococcus Bodinieri Lévl. = Schefflera spec. 15:115
- Mairei Lévl. = Aralia chinensis L. var. nuda Nakai, 15:116
- Elsholtzia Bodinieri Vant. var. lavandulaespica (Lévl.) Lévl. = E. heterophylla Diels, 18:244
- Cavaleriei Lévl. = Leucosceptrum chinense Hemsl. 16:311
- Dielsii Lévl. = E. fruticosa (D. Don) Rehd. 16:312
- Labordei Vaniot = E. rugulosa Hemsl. 16:312
- lampradena Lévl. = E. ochroleuca Dunn, 16:313
- lavandulaespica (Lévl.) Lévl. = E. heterophylla Diels, 18:244
- Lychnitis Lévl. & Vant. = Plectranthus ternifolius D. Don, 16:313
- Souliei Lévl. (no. 529, non 482) = E. fruticosa (D. Don) Rehd. 16:312
- tristis Lévl. = E. fruticosa (D. Don) Rehd. 16:312
- Embelia Blinii Lévl. = E. pauciflora var. Blinii (Lévl.) Walker, 15:292
- Bodinieri Lévl. = E. oblongifolia Hemsl. 15:291; 18:232
- Cavaleriei Lévl. = Ilex metabaptista Loes. var. myrsinoides (Lévl.) Rehd. 14:240
- Dielsii Lévl. = E. pauciflora var. Blinii (Lévl.) Walker, 15:292
- Esquirolii Lévl. = Celastrus gemmata Loes. 14:250
- Kaopoensis Lévl. = E. pauciflora var. Blinii (Lévl.) Walker, 15:292
- rubrinervis Lévl. = Rhamnella rubrinervis (Lévl.) Rehd. 15:12; 18:219
- rubro-violacea Lévl. = Ilex purpurea Hassk. 14:239
- Schlechteri Lévl. = E. pauciflora Diels, 15:291
- Valbrayi Lévl. = Schisandra propinqua Hook. f. & Thoms. var. sinensis Oliver, 10:191
- Vaniotii Lévl. = Gaultheria yunnanensis (Franch.) Rehd. 15:282
- Engelhardtia Esquirolii Lévl. = E. Colebrookiana Lindl. in Wall. 10:118
- Enkianthus Cavaleriei Lévl. = E. Dunnii Lévl. 15:278; 18:230
- cerasiflora (Lévl.) Lévl. = E. chinensis Franch. 15:279; 18:230
- Dunnii Lévl. 15:278; 18:230
- xanthoxantha Lévl. = E. Dunnii Lévl. 15:278; 18:230
- Epimedium Cavaleriei Lévl. = Stauntonia Cavalerieana Gagnep. 17:320
- Eriolaena *Esquirolii* Lévl. = Burretiodendron Esquirolii (Lévl.) Rehd. 17:48, pl. 178; 18:220
- sterculiacea (Lévl.) = E. malvacea (Lévl.) Hand.-Mazz. 15:95
- Erythrina Mairei Lévl. = Dumasia villosa DC. 13:330
- Erythrospermum Cavaleriei Lévl. = Celastrus Hindsii Benth. var. Henryi Loes. 14:250
- Esquirolia sinensis Lévl. = Ligustrum lucidum Ait. 15:304
- Eucommia ulmoidea Oliv. var. yunnanensis Lévl. = E. ulmoides Oliv. 17:333

Eugenia Esquirolii Lévl. = Decaspermum fruticosum Forst. 15:109

Eurya Cavaleriei Lévl. = Symplocos laurina (Retz.) Wall. 15:298

— Esquirolii Lévl. [= Neolitsea spec. 10:193 = Litsea Esquirolii (Lévl.) Allen, 17:329, non Lévl.] = L. Kobuskiana Allen, nom. nov.

Evodia Chaffanjoni Lévl. = Euscaphis japonica (Thbg.) Dipp. 15:2

- Lyi Lévl. = Miliusa sinensis Fin. & Gagnep. 10:191
- odorata Lévl. [= Zanthoxylum odoratum (Lévl.) Lévl. 14:224] = Z. rhetsoides Drake, 18:209

Evonymus acanthocarpa Lévl. non Franch. = E. aculeata Hemsl. 14:246

- bicolor Lévl. = E. Rehderiana Loes. 14:245
- Blinii Lévl. p. p. = E. uniflora Lévl. & Vant. 14:243
- Blinii Lévl. p. p. = E. theaefolia Wall. ex M. A. Laws. in Hook. f. 14:244
- Blinii Lévl. p. p. = E. Forbesiana Loes. 14:246
- Blinii Lévl. p. p. = E. subtrinervis Rehd. 14:247
- Bodinieri Lévl. = E. lanceifolia Loes. 14:248
- Cavaleriei Lévl. p. p. = E. Dielsiana Loes var. latifolia Loes. 14:245
- Cavaleriei Lévl. p. p. = E. subtrinervis Rehd. 14:247
- centidens Lévl. 14:244; 18:215
- coreanus Lévl. = E. Maackii Rupr. 14:248
- Crosnieri Lévl. = E. Forbesiana Loes. 14:246
- Darrisii Lévl. = E. Hamiltoniana Wall. 14:248
- *Dielsiana* "Loes." ex Lévl., non Loes. = E. Dielsiana Loes. var. latifolia Loes. 14:245
- disticha Lévl. 14:249
- erythrocarpa (Lévl.) Lévl. = E. acanthocarpa Franch. 14:246
- Esquirolii Lévl. 14:244
- Feddei Lévl. 14:245
- hypoleucus Lévl. = Mallotus philippinensis (Lam.) Muell. Arg. 14:233
- Leclerei Lévl. 14:244
- Maackii "Rupr." ex Lévl., non Rupr. = E. Hamiltoniana Wall. 14:248
- Mairei Lévl. p. p. = E. grandiflora Wall. 14:242
- Mairei Lévl. p. p. = E. yunnanensis Franch. 14:243
- proteus Lévl. = E. Rehderiana Loes. 14:245
- provicarii Lévl. = Pittosporum truncatum E. Pritz. 12:280
- rugosa Lévl. = E. Hamiltoniana Wall. 14:248
- uniflora Lévl. & Vant. 14:243
- Vanioti Lévl. = E. Forbesiana Loes. 14:246
- yunnanensis Lévl. = Gymnosporia acuminata Hook. f. 14:251

- Fatsia Cavaleriei Lévl. = Trevisia palmata (Roxb.) Vis. 15:113 Ficus acanthocarpa Lévl. & Vant. = F. clavata Wall. ex Miq. 10:124
- asymetrica Lévl. & Vant. 10:128 = F. obscura Bl. 17:74
- Blinii Lévl. & Vant. [= F. suberosa Lévl. & Vant. 10:131] = F. glaberrima Bl. 17:73
- Bodinieri Lévl. & Vant. = F. impressa Champ. ex Benth. 10:125
- Bonatiana Lévl. = F. tikoua Bur. 17:76
- Bonatii Lévl. = F. Tikoua Bur. 17:76
- botryoides Lévl. & Vant. 10:128 = F. Martini Lévl. & Vant. 17:75
- cantoniensis Bodinier ex Lévl. = F. scandens Roxb. 17:75
- Cavaleriei Lévl. & Vant. 10:128; 17:78
- Chaffanjoni Lévl. & Vant. = F. foveolata Wall ex Miq. 10:124
- congesta Lévl. & Vant. in Lévl. 10:128 = F. silhetensis Miq. 17:80
- corymbifera Lévl. & Vant. = Solanum verbascifolium L. 18:245
- cuneata Lévl. & Vant. 10:128, p. p. = F. heteromorpha Hemsl. 17:77
- var. congesta Lévl. & Vant. 10:129, sub F. cuneata
- cuneata Lévl. & Vant. 10:128, p. p. = F. pandurata Hance, 17:77
- Cyanus Lévl. & Vant. 10:129 = F. silhetensis Miq. 17:80
- var. viridescens Lévl. & Vant. = F. silhetensis Miq. 17:80
- Duclouxii Lévl. & Vant. = F. foveolata Wall. ex Miq. 10:124
- Esquiroliana Lévl. = F. hirta var. Roxburghii (Miq.) King, 10:127
- Esquirolii Lévl. & Vant. 17:79; 18:256
- Fauriei Lévl. & Vant. = F. foveolata var. Thunbergii (Maxim.) King, 10:125
- var. macrocarpa Lévl. = F. foveolata var. Thunbergii (Maxim.) King, 17:75
- fecundissima Lévl. & Vant. = F. lacor Ham. 10:124
- Feddei Lévl. & Vant. = F. glaberrima Bl. 17:73
- Fortunati Lévl. & Vant. = F. foveolata Wall. ex Miq. 10:124
- hederifolia Lévl. 10:129 = F. foveolata var. Thunbergii (Maxim.) King, 17:75
- hirtaeformis Lévl. & Vant. [= Actinidia lanata Hemsl. 15:97] = A. eriantha Benth. 18:222
- hypoleucogramma Lévl. & Vant. 10:129
- Jamini Lévl. & Vant. 10:129; 17:75
- Kingiana Lévl. p. p. non Hemsl. 10:129 = F. glaberrima Bl. 17:73
- Kingiana Lévl. p. p. non Hemsl. 10:129 = F. pyriformis Hook. & Arn. 17:79
- Kouytchense Lévl. & Vant. = F. heteromorpha Hemsl. 10:126
- laceratifolia Lévl. & Vant. 10:130; 17:78
- lacrymans Lévl. 10:130 = F. Martini Lévl. & Vant. 17:75

- Ficus lageniformis Lévl. & Vant. = F. formosana Maxim. 10:127
- __laus-Esquirolii Lévl. p. p. = F. hirta Vahl, 10:126
- laus-Esquirolii Lévl. p. p. = F. hirta var. Roxburghii (Miq.) King, 10:127
- Letaqui Lévl. & Vant. 10:130; 17:82
- -longepedata Lévl. & Vant. 10:127; 17:74
- longepedata Lévl. & Vant. ex Lévl. p. p. = F. gibbosa Bl. var. cuspidifera King, 10:123
- macrocarpa "Wight" ex Lévl. & Vant., non Wight, 10:130 = F. Roxburghii Wall. ex Miq. 17:81
- macropodocarpa Lévl. & Vant. 10:130 = F. pyriformis Hook. & Arn. var. ischnopoda King, 17:79
- Mairei Lévl. = F. heteromorpha Hemsl. 10:126; 17:76, sub F. erecta Thunb.
- Marchandii Lévl. = Capparis viminea Hook. f. & Th. ex Hook. 17:332
- Martini Lévl. & Vant. 10:127; 17:75; 18:256
- Michelii Lévl. = F. gibbosa Bl. var. cuspidifera King, 10:123
- neo-Esquirolii Lévl. = F. hirta var. Roxburghii (Miq.) King, 10:127
- Nerium Lévl. & Vant. 10:130 = F. pyriformis Hook. & Arn. 17:79
- orthoneura Lévl. & Vant. 10:130
- Ouangliense Lévl. = Aglaia tetrapetala (Pierre) Pellegr. 18:210
- pandurata Lévl. & Vant. ex Lévl. = F. heteromorpha Hemsl. 10:126
- pinfaensis Lévl. & Vant. = F. heteromorpha Hemsl. 10:126
- Porteri Lévl. & Vant. = F. hirta Vahl, 10:126; 17:77
- pseudobotryoides Lévl. & Vant. 10:131
- pseudo-piriformis Lévl. & Vant. $[=F.\ erecta\ Thunb.\ 10:125]=F.$ erecta Thunb. var. Sieboldi (Miq.) King, 17:77
- pseudo-religiosa Lévl. = F. lacor Ham. 10:124
- retusiformis Lévl. 10:131 = F. retusa L. 17:74
- rhomboidalis Lévl. 10:131 = F. formosana Maxim. 17:78
- rhomboidalis Lévl. & Vant. = F. gibbosa Bl. var. cuspidifera King, 10:123; 17:73
- rufipes Lévl. & Vant. p. p. = F. foveolata Wall. ex Miq. 10:124; 17:75; 18:255
- rufipes Lévl. & Vant. p. p. = Psychotria Prainii Lévl. 18:248
- Salix Lévl. = Salix babylonica L. 10:115
- sambucixylon Lévl. = F. hispida L. f. 10:126
- Schinzii Lévl. & Vant. 10:131 = F. Abelii Miq. 17:81
- Seguinii Lévl. = F. foveolata Wall. ex Miq. 10:124
- Stapfii Lévl. 10:131; 17:81

- Ficus suberosa Lévl. & Vant. 10:131 = F. glaberrima Bl. 17:73
- Taqueti Lévl. & Vant. = F. erecta Thunb. 10:125; 17:76
- Tenii Lévl. = F. lacor Ham. 10:124; 17:74
- trichopoda Lévl. = F. longepedata Lévl. & Vant. 10:127
- Vanioti Lévl. (1909) = Aglaia tetrapetala (Pierre) Pellegr. 18:210
- Vanioti Lévl. (1915, p. p.) 17:82; 18:256
- Flacourtia Cavaleriei Lévl. = Xylosma racemosum var. kwangtungense (Metcalf) Rehd. 15:102
- Fontanesia Argyi Lévl. = Fontanesia Fortunei Carr. 15:302
- Fordiophyton Cavaleriei var. violacea Lévl. = Bredia Cavaleriei (Lévl.)
 Diels, 15:112
- Fraxinus Fauriei Lévl. Meliosma Oldhamii Miq. 15:302, in nota; 18:217
- Gardenia Schlechteri Lévl. = G. jasminoides Ellis, 16:321
- Gaultheria crenulata "Kurz" ex Lévl., non Kurz, in herb. = Viburnum Schneiderianum Hand.-Mazz. 16:331
- Glochidion Bodinieri Lévl. = Glochidion puberum (L.) Hutchins. 14:231
- Cavaleriei Lévl. = Illicium Griffithii Hook. f. & Th. 17:323
- Esquirolii Lévl. = G. villicaule Hook. f. 14:231
- Vanioti Lévl. = Orixa japonica Thunb. 14:224
- Gnetum Cavaleriei Lévl. 17:56 verisimiliter ad Anacardiaceas pertinet
- Gongronema yunnanense Lévl. [= Marsdenia yunnanensis (Lévl.) Woods. 15:317] = Marsdenia oreophila W. W. Sm. 18:242
- Grewia Chanetii Lévl. = G. biloba G. Don var. parviflora (Bge.) Hand.-Mazz. 15:93
- Esquirolii Lévl. [= G. biloba G. Don, 15:92] = G. Henryi Burret, 18:221
- Gymnosporia Esquirolii (Lévl.) Lévl. 14:250
- Hedyotis Bodinieri Lévl. = Oldenlandia Bodinieri (Lévl.) Chun, 16:316
- Esquirolii Lévl. [= Oldenlandia macrostemon (Hook. & Arn.) Ktze. 16:316] = Oldenlandia hedyotidea (DC.) Hand.-Mazz. 18:247
- Mairei Lévl. = Viburnum congestum Rehd. 16:329
- yunnanensis Lévl. = Viburnum foetidum Wall. var. rectangulatum (Graebn.) Rehd. 16:331
- Helicteres Cavaleriei Lévl. = H. glabriuscula Wall. 15:96
- Helwingia Argyi Lévl. & Vant. = Stemona japonica (Bl.) Miq. 17:57
- Heptapleurum Bodinieri Lévl. = Schefflera Bodinieri (Lévl.) Rehd. 15:114
- Cavaleriei Lévl. = Schefflera elliptica (Bl.) Harms, 15:114
- Dunnianum Lévl. = Schefflera Delavayi (Franch.) Harms, 15:113

Heptapleurum Esquirolii Lévl. = Nothopanax Delavayi (Franch.)
Harms, 15:115

— tripteris Lévl. = Brassaiopsis tripteris (Lévl.) Rehd. 15:115

Hernandia sinensis Lévl. = Iodes ovalis Bl. 15:2

Heterosmilax Gaudichaudiana var. latifolia Bodinier ex Lévl. = Heterosmilax Gaudichaudiana (Kunth) Maxim. 17:64

Hibiscus bellicosus Lévl. = H. sagittifolius Kurz var. septentrionalis Gagnep. 15:95

- Bodinieri Lévl. = H. crinitus (Wall.) G. Don, 15:94
- Bodinieri var. brevicalyculata Lévl. = H. sagittifolius Kurz var. septentrionalis Gagnep. 15:95
- Cavaleriei Lévl. = H. crinitus (Wall.) G. Don, 15:94
- Esquirolii Lévl. = H. sagittifolius Kurz var. septentrionalis Gagnep. 15:95
- Labordei Lévl. 15:94

Hiptage Cavaleriei Lévl. = Eriobotrya Cavaleriei (Lévl.) Rehd. 13:307; 17:334

— Esquirolii Lévl. = Photinia Bodinieri Lévl. 13:307

Hoya Cavaleriei Lévl. = Holboellia latifolia Wall. 17:321

- Esquirolii Lévl. 15:318 = Dischidia Esquirolii (Lévl.) Tsiang, 18:241
- Lyi Lévl. [= H. carnosa "R. Br." ex Woods., non R. Br. 15:318] 18:241

Hoyopsis Dielsii Lévl. = Tylophora Dielsii (Lévl.) Hu, 18:241

Hydrangea Arbostiana Lévl. = H. Davidii Franch. 12:276

- Davidii Franch. var. Arbostiana Lévl. = H. Davidii Franch., 12:276
- Kamienskii Lévl. = H. paniculata Sieb. 12:277
- Maximowiczii Lévl. = H. Rosthornii Diels, 12:277
- sachalinensis Lévl. = H. paniculata Sieb. 12:277
- Taquetii Lévl. = Schizophragma hydrangeoides Sieb. & Zucc. 12:278
- tiliaefolia Lévl. = H. petiolaris Sieb. & Zucc. 12:278
- villosa Rehd. var. Mairei Lévl. = H. strigosa Rehd. 12:277

Hypericum Argyi Lévl. & Vant. = H. patulum Thunb. 15:100

- Bodinieri Lévl. = H. napaulense Choisy, 18:225
- Dielsii I évl. = H. otaruense R. Keller, 18:224
- erectum Thunb. var. axillare Lévl. = H. erectum Thunb. 18:224
- Henryi Lévl. & Vant. = H. Hookerianum Wight & Arn. 15:100
- kouytchense Lévl. 10:134; 15:101
- longifolium Lévl. 15:101, 377
- Matsumurae Lévl. = H. erectum Thunb. 18:224
- Vanioti Lévl. p. p. = H. erectum Thunb. 18:224
- Vanioti Lévl. p. p. = H. otaruense R. Keller, 18:224

Ilex corallina Franch. var. Loeseneri Lévl. 14:242

Ilex Dunniana Lévl. = I. corallina Franch. 14:241

- Fargesii Franch. var. Bodinieri Loes. in Lévl. = I. metabaptista Loes. var. myrsinoides (Lévl.) Rehd. 14:240
- metabaptista "Loes." ex Lévl., vix Loes. = I. metabaptista Loes. var. myrsinoides (Lévl.) Rehd. 14:240
- myrsinoides (Lévl.) Merr. = I. metabaptista Loes. var. myrsinoides (Lévl.) Rehd. 14:241, in nota.
- purpurea var. Leveilleana Loes. in Lévl. = I. pedunculosa Miq. var. continentalis Loes. 14:240

Illigera Dunniana Lévl. 18:256

Illicium Cavaleriei (Lévl.) Lévl. = I. Griffithii Hook. f. & Th. 17:323

Incarvillea Argyi Lévl. = Quamoclit pennata (Desrouss.) Bojer, 18:242

Indigofera Bodinieri Lévl. = I. stachyodes Lindl. 13:323

- Cavaleriei Lévl. = I. atropurpurea Buch.-Ham. ex Roxb. 13:325
- Craibiana Lévl. = I. reticulata Franch. 13:325
- Dosua Buch.-Ham. var. stachyodes (Lindl.) Lévl. = I. stachyodes Lindl. 13:323
- Esquirolii Lévl. 13:324; 18:207
- Mairei Lévl. = Sophora glauca DC. 13:323
- Thirionni Lévl. = Derris spec. Lévl. 13:330
- Vanioti Lévl. p. p. 13:324
- Vanioti Lévl. p. p. = I. szechuensis Craib, 13:325

Itea Bodinieri Lévl. = I. yunnanensis Franch. 12:279

— Esquirolii Lévl. = I. yunnanensis Franch. 12:279

Ixora Henryi Lévl. 16:322; 18:248

Jasminum Argyi Lévl. = J. floridum Bge. 15:306

- Blinii Lévl. = J. polyanthum Franch. 15:307
- Bodinieri Lévl. = J. sinense Hemsl. 15:306
- Dela fieldii Lévl. = J. polyanthum Franch. 15:307
- Dunnianum Lévl. = J. lanceolarium Roxb. var. puberulum Hemsl. 15:306
- Esquirolii Lévl. = J. multiflorum (Burm. f.) Andr. 15:308
- laurifolium var. villosum Lévl. = J. amplexicaule Buch.-Ham. 15:308
- Mairei Lévl. = J. humile L. 15:306
- var. siderophyllum Lévl. = J. humile L. 15:306
- Prainii Lévl. 15:308; 18:234
- Schneideri Lévl. = J. Duclouxii (Lévl.) Rehd. 15:307
- Seguini Lévl. 15:307; 18:233
- Valbrayi Lévl. = J. Beesianum Forr. & Diels, 15:308

Juniperus Franchetiana Lévl. = J. squamata Lamb. 17:56

— Lemeeana Lévl. & Blin = J. squamata Lamb. var. Fargesii (Komar.) Rehd. & Wils. 17:56 Juniperus Mairei Lemée & Lévl. = J. formosana Hayata, 10:110

Kadsura Cavaleriei Lévl. = K. chinensis Hance, 10:190

Keteleeria *Esquirolii* Lévl. = K. Davidiana (Bertr.) Beiss. 10:109; 18:254

Lasianthus Dunniana Lévl. = L. Hookeri Clarke, 16:323

— Esquirolii Lévl. = L. Biermanni King, 16:323

Leea Dielsii Lévl. = Ampelopsis Chaffanjoni (Lévl.) Rehd. 15:25

— theifera Lévl. = Ampelopsis cantoniensis (Hook. & Arn.) Planch. 15:26

Leptodermis Chaneti Lévl. = L. oblonga Bge. 16:328

— Esquirolii Lévl. = L. Potanini Batal. 16:326

- Mairei Lévl. (1914) = L. pilosa (Fr.) Diels var. glabrescens Winkl. 16:327
- Mairei Lévl. in herb. Wendlandia longidens (Hance) Hutchins. 16:318
- motsouensis Lévl. = L. Potanini Bat. var. glauca (Diels) H. Winkl. 16:327
- tongchouanensis Lévl. = L. Potanini var. tomentosa H. Winkl. 16:327 Lespedeza Blinii Lévl. = Campylotropis polyantha (Franch.) Schindl. 13:329
- -dichromocalyx (errore) = L.dichromoxylon Lévl.
- dichromoxylon Lévl. = Campylotropis polyantha (Franch.) Schindl. 13:329; 18:276
- Fauriei Lévl. = L. daurica (Laxm.) Schindl. 13:328
- Monnoyeri Lévl. 13:328 = L. fasciculiflora Franch. 18:207
- Pampaninii Lévl. = L. Forrestii Schindl. 13:326
- Lettsomia Seguini Lévl. = Argyreia Seguini (Lévl.) Vaniot ex Lévl. 15:319; 18:242

Leucosceptrum Bodinieri Lévl. = L. chinense Hemsl. 16:311

Ligustrum Argyi Lévl. = L. Quihoui Carr. 15:305

- Bodinieri Lévl. = L. sinense Lour. var. myrianthum (Diels) Hoefker, 15:305
- Esquirolii Lévl. = L. lucidum Ait. 15:304
- lucidum var. Esquirolii Lévl. = L. lucidum Ait. 15:304
- Mairei Lévl. = Syringa Mairei (Lévl.) Rehd. 15:302
- phillyrea Lévl. = Osmanthus Delavayi Franch. 15:303
- Taquetii Lévl. = L. japonicum Thunb. 15:305
- Thea Lévl. = Wendlandia salicifolia Franch. 16:317
- Vanioti Lévl. = Fraxinus Griffithii C. B. Clarke, 15:302

Lindera Bodinieri Lévl. [= Benzoin commune (Hemsl.) Rehd. 10:194; 17:330] = L. communis Hemsl. 18:275

Lindera camphorata Lévl. = Sassafras Tzumu Hemsl. 17:328

- Cavaleriei Lévl. = Notaphoebe omeiensis (Gamble) Chun, 10:192; 17:327
- Dielsii Lévl. = Litsea Cubeba Pers. 10:194
- Esquirolii Lévl. = Litsea spec. 17:330
- yunnanensis Lévl. [= Benzoin commune (Hemsl.) Rehd. 10:194] = L. communis Hemsl. 18:275
- spec. Lévl. = Bridelia spec. 18:213

Litsaea see Litsea

Litsea Cavaleriei Lévl. [= Benzoin commune (Hemsl.) Rehd. 10:194] = Lindera communis Hemsl. 18:275

- Chaffanjoni Lévl. = Symplocos stellaris Brand, 15:301
- coreana Lévl. = Machilus Thunbergii Sieb. & Zucc. 17:327
- Dielsii Lévl. = L. Cubeba Pers. 10:194
- Dunniana Lévl. [= Neolitsea spec. 10:193] = L. Dunniana Lévl. 17:329
- Esquirolii Lévl. [= Benzoin commune (Hemsl.) Rehd. 10:194] = Lindera communis Hemsl. 18:275
- Mairei Lévl. = Myrica adenophora Hance, 17:66
- myricopsis Lévl. = Myrica esculenta Ham. ex Don, 17:66
- touyunensis Lévl. 10:194 [= Benzoin touyunense (Lévl.) Rehd. 17:331] = Lindera megaphylla Hemsl. f. touyunensis (Lévl.) Rehd. 18:275
- undulatifolia Lévl. 10:193 Neolitsea undulatifolia (Lévl.) Allen, 17:328

Lonicera acrophila Lévl. = L. lanceolata Wall. 16:337

- androsaemifolia Lévl. = Woodfordia fruticosa (L.) S. Kurz, 15:107
- buxifolia Lévl. = L. pileata Oliv. 16:336
- Cavaleriei Lévl. = Jasminum sinense Hemsl. 15:306
- Esquirolii Lévl. 16:339
- Fauriei Lévl. & Vant. = L. japonica Thbg. 16:339
- fragilis Lévl. 16:337
- Guilloni Lévl. = L. macrantha Spreng. 16:338
- gynopogon Lévl. = L. Koehneana Rehd. 16:338
- Mairei Lévl. = L. yunnanensis Franch. 16:339
- Menelii Lévl. = Phlogacanthus pubinervis T. Anders. 16:315
- missionis Lévl. p. p. = L. ligustrina Wall. 16:335
- missionis Lévl. p. p. = L. pileata Oliv. 16:336
- Pampaninii Lévl. 16:338; 18:250, 361
- Rehderi Lévl. = Jasminum sinense Hemsl. 15:306
- Rocheri Lévl. = L. tangutica Maxim. 16:335

- Lonicera Vaccinium Lévl. = Wikstroemia Vaccinium (Lévl.) Rehd. 15:103
- Loranthus Esquirolii Lévl. = Tolypanthus Maclurei (Merr.) Danser, 17:82
- Luculia gratissima "Sw." ex Lévl., non Sweet = Wendlandia ligustrina Wall. 16:317
- Lysimachia Mairei Lévl. = Paradombeya sinensis Dunn, 18:222
- Lysionotus Cavaleriei Lévl. = L. pauciflorus Maxim. var. linearis Rehd. 18:246
- Machilus camphoratus Lévl. = Alseodaphne camphorata (Lévl.) Allen, 17:326
- Cavaleriei Lévl. 10:192; 17:326
- Dominii Lévl. = Cinnamomum glanduliferum Meissn. 10:192
- Dunnianus Lévl. = Notaphoebe omeiensis (Gamble) Chun, 10:192; 17:327
- Mairei Lévl. = Notaphoebe omeiensis (Gamble) Chun, 10:192; 17:327
- oreophila "Hance" ex Lévl., non Hance = M. longipedicellata Lecte. 17:326
- Thunbergii "Sieb. & Zucc." ex Lévl., non Sieb. & Zucc. = M. Rehderi Allen, 17:326
- Maesa aurea Lévl. = Symplocos Bodinieri Brand, 15:299
- Blinii Lévl. = Rhamnus Blinii (Lévl.) Rehd. 15:15
- Bodinieri Lévl. & Blin = Symplocos laurina (Retz.) Wall. 15:298
- Cavaleriei Lévl. = M. japonica (Thbg.) Moritzi ex Zoll. 15:288
- Dunniana Lévl. = M. japonica (Thbg.) Moritzi ex Zoll. 15:288
- Esquirolii Lévl. = M. japonica (Thbg.) Moritzi ex Zoll. 15:288
- Labordei Lévl. = M. japonica (Thbg.) Moritzi ex Zoll. 15:288
- Martini Lévl. = M. tenera Mez, 15:288
- myrsinoides Lévl. = Ilex metabaptista Loes. var. myrsinoides (Lévl.) Rehd. 14:240
- scandens Lévl. = Trachelospermum axillare Hook. f. 15:310; 18: 237, 361
- singuliflora Lévl. = Quercus phillyreoides Gray, 10:121
- spec. Lévl. = Sarcococca Hookeriana Baill. var. humilis Rehd. & Wils. 14:235
- Magnolia Martini Lévl. = Michelia Martini (Lévl.) Fin. & Gagnep. ex Lévl. 10:190
- Mahonia elegans Lévl. pro synon. = M. elegans (Lévl.) Rehd. 17:322
- Mallotus Cavaleriei Lévl. = Discocleidion rufescens (Franch.) Pax & Hoffm. 14:234
- Esquirolii Lévl. (no. 562) 14:232; 18:213

- Mallotus Esquirolii Lévl. (no. 691) = M. Leveillanus Fedde, 14:232
- Leveillei Fedde ex Lévl. = M. Leveilleanus Fedde, 14:232
- Milliettii Lévl. 14:233
- neo-Cavaleriei Lévl. = Deeringia amaranthoides (Lam.) Merr. 10:185
- Marlea Bodinieri Lévl. = Alangium Faberi Oliver, 15:108
- Cavaleriei Lévl. = Gardneria multiflora Mak. 15:309
- Melastoma Cavaleriei Lévl. = M. normale D. Don, 15:109
- Esquirolii Lévl. = M. normale D. Don, 15:109
- Mairei Lévl. = Osbeckia crinita Benth. in Wall. ex Clarke, 15:109
- Meliosma? Cavaleriei Lévl. = Ampelopsis Chaffanjoni (Lévl.) Rehd. 15:25
- Melodinus *Bodinieri* Lévl. = Trachelospermum Bodinieri (Lévl.) Woods. 15:312; 18:237, 361
- Cavaleriei Lévl. p. p. = Trachelospermum Dunnii (Lévl.) Lévl. 18:237, 361
- Cavaleriei Lévl. p. p. = Trachelospermum gracilipes Hook. f. 15:311; 18:236
- Chaffanjoni Lévl. = Trachelospermum axillare Hook. f. 15:310; 18:237, 361
- Duclouxii Lévl. = Jasminum Duclouxii (Lévl.) Rehd. 15:307
- Dunnii Lévl. = Trachelospermum Dunnii (Lévl.) Lévl. 15:311; 18:237, 361
- edulis Lévl. = M. Seguini Lévl. 15:313; 18:235
- Esquirolii Lévl. = M. Seguini Lévl. 15:313; 18:235
- flavus Lévl. = M. Seguini Lévl. 15:313; 18:235
- Seguini Lévl. 15:313; 18:235
- Melodium Dunnii Lévl. = Trachelospermum Dunnii (Lévl.) Lévl. 15:311; 18:237, 361
- Melodorum retusum Lévl. = Fissistigma retusum (Lévl.) Rehd. 10:191
- Mercurialis acanthocarpa Lévl. = Speranskia cantonensis (Hance) Pax & Hoffm. 14:232
- Mespilus Esquirolii Lévl. [= Actinidia lanata Hemsl. 15:97] = A. eriantha Benth. 18:222
- Metaplexis Cavaleriei Lévl. [= Marsdenia Cavaleriei (Lévl.) Hand.-Mazz. ex Woods. 15:318] = Marsdenia tenacissima (Roxb.) Wight & Arn. 18:242
- Michelia Cavaleriei Lévl., non Fin. & Gagnep. = M. Leveilleana Dandy, 10:190
- Microrhamnus Bodinieri Lévl. = Nyssa sinensis Oliver, 15:107
- Cavaleriei Lévl. = Rhamnella Martini (Lévl.) Schneid. 15:11, 377

Microrhamnus Franchetiana Lévl. p. p. = Tripterygium hypoglaucum (Lévl.) Hutchins. 15:1

- Franchetiana Lévl. p. p. = Berchemia Giraldiana Schneid. 15:10
- Mairei Lévl. p. p. = Berchemia Giraldiana Schneid. 15:10
- Mairei Lévl. p. p. = Berchemia pycnantha Schneid. 15:11
- Taquetii Lévl. = Evonymus alata (Thbg.) Reg. 14:249

Microtoena Esquirolii Lévl. = M. insuavis (Hance) Prain ex Dunn, 18:244

— mollis Lévl. = M. insuavis (Hance) Prain ex Dunn, 18:244

Millettia Blinii Lévl. = M. Dielsiana Harms, 13:326

- Bodinieri Lévl. = M. Dielsiana Harms, 13:326
- Cavaleriei Lévl. = Campylotropis velutina (Dunn) Schindl. 13:329
- Dunniana Lévl. = M. Dielsiana Harms, 13:326
- Esquirolii Lévl. 13:326, in nota = Sophora spec. 18:207
- fragrantissima Lévl. = M. Dielsiana Harms, 13:326
- Gentiliana Lévl. 13:326

Morinda Esquirolii Lévl. = Macaranga Esquirolii (Lévl.) Rehd. 18:214 Morus calva Lévl. = Coriaria sinica Maxim. 14:237

- Cavaleriei Lévl. = M. australis Poir. 10:123
- integrifolia Lévl. & Vant. [= Vanieria tricuspidata (Carr.) Hu, 17:72] = Cudrania tricuspidata (Carr.) Bureau, 18:275
- inusitata Lévl. = M. australis Poir. 10:123
- Mairei Lévl. = Acalypha Mairei (Lévl.) Schneid. 14:234

Mucuna Bodinieri Lévl. 13:330 = M. Birdwoodiana Tutch. 18:208

- Esquirolii Lévl. 13:331
- Mairei Lévl. = M. sempervirens Hemsl. 13:331
- Martini Lévl. = M. cochinchinensis (Lour.) A. Cheval. 13:331
- terrens Lévl. 13:330

Mussaenda Bodinieri Lévl. = M. pubescens Ait. f. 16:320

- Cavaleriei Lévl. = Emmenopterys Henryi Oliv. 16:318
- Esquirolii Lévl. 16:319; 18:248
- Mairei Lévl. = Emmenopterys Henryi Oliv. 16:318

Myrica Cavaleriei Lévl. p. p. = Castanopsis spec. 17:71

- Cavaleriei Lévl. p. p. = Quercus spec. 10:122; 17:72
- Darrisii Lévl. = Antidesma microphyllum Hemsl. 14:232
- Esquirolii Lévl. = Podocarpus neriifolia D. Don, 10:108
- Mairei Lévl. = Vaccinium pubicalyx Franch. 15:285
- rapaneoidea Lévl. = Distylium chinense (Franch.) Diels, 17:333
- Seguini Lévl. = Distylium chinense (Franch.) Diels, 12:280; 17:333

Myrsine Chaffanjoni Lévl. = Microtropis fokienensis Dunn, 18:216

— Chevalieri Lévl. = Sarcococca Hookeriana Baill. var. humilis Rehd. & Wils. 14:235

- Myrsine Esquirolii Lévl. = Maesa japonica (Thbg.) Moritzi ex Zoll. 15:288
- Feddei Lévl. = Ilex metabaptista Loes. var. myrsinoides (Lévl.) Rehd. 14:240
- Seguini Lévl. = Rapanea neriifolia (S. & Z.) Mez, 15:293
- Neillia glandulocalyx Lévl. [=N. sinensis Oliv. f. glanduligera (Hemsl.) Rehd. 13:299] = Neillia sinensis Oliv. 17:334
- Ophiorrhiza Cavaleriei Lévl. = O. japonica Bl. 16:316
- Esquirolii Lévl. = Jasminum Prainii Lévl. 18:234
- Labordei Lévl. = O. japonica Bl. 16:316
- Seguini Lévl. = O. cantoniensis Hance, 16:316
- violaceo-flammea Lévl. = O. cantoniensis Hance, 16:316
- Ormosia Esquirolii Lévl. = Sophora japonica L. 13:322
- Oxyspora Cavaleriei Lévl. = Fordiophyton Faberi Stapf, 15:112
- Cavaleriei Lévl. = Phyllagathis Cavaleriei (Lévl. & Vant.) Guillaumin, 15:113; 18:227, 361
- Pachysandra axillaris Franch. var. Kouytchensis Lévl. = P. stylosa Dunn, 14:235
- Bodinieri Lévl. = P. stylosa Dunn, 14:235
- Mairei Lévl. = Sarcococca Hookeriana Baill. var. humilis Rehd. & Wils. 14:235
- Paederia Bodinieri Lévl. (1914) = Gardneria multiflora Mak. 15:309
- Bodinieri Lévl. (1915) [= P. Wallichii Hook. f. 16:325] = P. yunnanensis (Lévl.) Rehd. 18:249
- Cavaleriei Lévl. 16:326; 18:249
- Dunniana Lévl. = P. scandens (Lour.) Merr. 16:324; 18:249
- Esquirolii Lévl. = P. scandens (Lour.) Merr. 16:324; 18:249
- Mairei Lévl. = P. scandens (Lour.) Merr. 16:324; 18:249
- tomentosa "Bl." ex Lévl., non Bl. = P. Cavaleriei Lévl. 16:326
- var. Mairei (Lévl.) Lévl. = P. scandens (Lour.) Merr. 16:324
- var. purpureo-coerulea Lévl. & Vant. = [P. Wallichii Hook. f. 16:325] = P. yunnanensis (Lévl.) Rehd. 18:249
- Paliurus Mairei Lévl. = Zizyphus mauritiana Lam. 15:10
- Parameria Esquirolii Lévl. [= Sindechites Esquirolii (Lévl.) Woods., 15:316] = S. Henryi Oliv. 18:238
- Passiflora Seguini Lévl. & Vant. 18:225
- Pavetta Esquirolii Lévl. = Clerodendron Bungei Steud. 15:324
- Pentace Esquirolii Lévl. = Burretiodendron Esquirolii (Lévl.) Rehd. 17:48, pl. 178; 18:220
- Virginis Lévl. = Tripterygium hypoglaucum (Lévl.) Hutchins. 14:252
- Pentasacme Esquirolii Lévl. = Heterostemma Esquirolii (Lévl.) Tsiang, 18:242

Periploca astacus Lévl. = Trachelospermum axillare Hook. f. 15:310; 18:237, 361

Pertya Bodinieri Vaniot, 16:340

Philadelphus coronarius var. chinensis Lévl. = P. Magdalenae Koehne, 12:275

Photinia Bodinieri Lévl. 13:307

- Cavaleriei Lévl. (1907) = P. Beauverdiana Schneider, 13:305
- Cavaleriei (1912) = P. crassifolia Lévl. 13:306
- crassifolia Lévl. 13:306
- Mairei Lévl., 13:307
- rosifoliolata Lévl. = Cotoneaster glaucophylla Franch. 13:302
- rubro-lutea Lévl. = Malus Sieboldii (Reg.) Rehd. 13:308
- serrulata "Lindl." ex Lévl., non Lindl. = P. Bodinieri Lévl. 13:307

Phyllanthodendron Cavaleriei Lévl. = Phyllanthus Dunnianus (Lévl.) Hand.-Mazz. 14:230

- Dunnianum Lévl. = Phyllanthus Dunnianus (Lévl.) Hand.-Mazz. 14:230, 426
- var. hypoglaucum Lévl. = Phyllanthus Dunnianus (Lévl.) Hand.-Mazz. 14:230
- sp. Lévl. = Mallotus philippinensis (Lam.) Muell. Arg. 14:233

Phyllanthus Argyi Lévl. = Securinega suffruticosa (Pall.) Rehd. 14:230

- Franchetiana Lévl. 14:230
- Mairei Lévl. = P. Emblica L. 14:230

Pieris Bodinieri Lévl. = P. formosa (Wall.) D. Don, 15:280

- buxifolia Lévl. & Vant. = Vaccinium triflorum Rehd. 15:287
- Cavaleriei Lévl. [= Leucothoë spec. 15:280] = L. Griffithiana Clarke, 18:230
- coreana Lévl. = Vaccinium bracteatum Thunb. 15:282
- divaricata Lévl. = Vaccinium bracteatum Thunb. 15:282
- —. Duclouxii Lévl. = Vaccinium Duclouxii (Lévl.) Hand.-Mazz., 15:284; 18:231
- Esquirolii Lévl. & Vant. = Vaccinium mandarinorum Diels, 15:284
- var. discolor Lévl. & Vant. = Vaccinium mandarinorum Diels, 15:284
- var. leucocalyx Lévl. = Vaccinium pubicalyx var. leucocalyx (Lévl.) Rehd. 15:285
- Fauriei Lévl. = Vaccinium bracteatum Thunb. 15:282
- Fortunati Lévl. = Gaultheria yunnanensis (Franch.) Rehd. 15:282
- Gagnepainiana Lévl. = Vaccinium fragile Franch. 15:286
- Henryi Lévl. [= Xolisma villosa var. pubescens (Franch.) Rehd., 15:281] = Lyonia villosa var. pubescens (Franch.) Rehd. 18:231

- Pieris kouyangensis Lévl. [= Xolisma ovalifolia var. lanceolata (Wall.) Rehd. 15:281] = Lyonia ovalifolia var. lanceolata (Wall.) Hand.-Mazz. 18:231
- longicornu Lévl. [= Vaccinium mandarinorum Diels, 15:284] = V. mandarinorum var. austrosinense (Hand.-Mazz.) Metc. 18:231, 361
- lucida Lévl. = Vaccinium malaccense Wight, 15:285

1937]

- Mairei Lévl. [= Xolisma ovalifolia (Wall.) Rehd. 15:281] = Lyonia ovalifolia (Wall.) Drude, 18:230
- var. parvifolia Lévl. [= Xolisma ovalifolia var. lanceolata (Wall.) Rehd. 15:281] = Lyonia ovalifolia var. lanceolata (Wall.) Hand.-Mazz. 18:231
- Martini Lévl. = Vaccinium Dunalianum Wight var. urophyllum Rehd. & Wils. 15:286
- oligodonta Lévl. Maesa japonica (Thbg.) Moritzi ex Zoll. 15:289
- ovalifolia var. denticulata Lévl. = Vaccinium malaccense Wight, 15:285
- repens Lévl. [= Vaccinium repens (Lévl.) Rehd. 15:283] = V. fragile Franch. var. myrtifolium Franch. 18:231
- Ulbrichii Lévl. [= Xolisma ovalifolia (Wall.) Rehd. 15:281] = Lyonia ovalifolia (Wall.) Drude, 18:230
- vaccinium Lévl. = Gaultheria yunnanensis (Franch.) Rehd. 15:282
- Pinus Argyi Lemée & Lévl. [=P. tabulae formis Carr. 10:109] = P. Massoniana Lamb. 17:54
- var. longevaginans [= P. tabulaeformis Carr. 10:109] = P. Massoniana Lamb. 17:54
- Cavaleriei Lévl. = P. Massoniana Lamb. 10:109; 17:54
- Komarovi Lévl. = P. Armandi Franch. 10:108
- levis Lemée & Lévl. = P. Armandi Franch. 10:108
- nana Faurie & Lemée = P. densiflora Sieb. & Zucc. 10:109
- Piptanthus spec. Lévl. = Polygala arillata D. Don, 18:211
- Pirus Bodinieri Lévl. = Decaspermum fruticosum Forst. 15:109
- brunnea Lévl. (1912) = Photinia villosa (Thbg.) DC. 13:304
- brunnea Lévl. (1916), [= Benzoin glaucum Sieb. & Zucc. 10:194] = Lindera glauca (Sieb. & Zucc.) Bl. 18:275
- Cavaleriei Lévl. = Stranvaesia Davidiana Decne. 13:307
- Esquirolii Lévl. = Malus Sieboldii (Reg.) Rehd. 13:308
- Feddei Lévl. = Photinia amphidoxa (Schneid.) Rehd. & Wils. 13:306
- Koehnei Lévl. = Sorbus Hemsleyi (Schneid.) Rehd. 13:304
- Mairei Lévl. = Pyrus Calleryana Decne. 13:310
- mokpoensis Lévl. = Photinia villosa var. coreana (Decne.) Rehd. 13:305

- Pirus rufifolia Lévl. = Docynia rufifolia (Lévl.) Rehd. 13:310
- sinensis Lindl. var. Maximowicziana Lévl. = Photinia villosa (Thbg.) DC. 13:304
- spectabilis Ait. var. albescens Lévl. = Photinia villosa (Thbg.) DC. 13:304
- subcrataegifolia Lévl. = Malus Sieboldii (Reg.) Rehd. 13:308
- Taqueti Lévl. = Amelanchier asiatica (Sieb. & Zucc.) Endl. ex Walp. 13:308
- Vanioti Lévl. = Amelanchier asiatica (Sieb. & Zucc.) Endl. ex Walp. 13:308
- Pittosporum Cavaleriei Lévl. = P. glabratum Lindl. 12:280
- trigonocarpum Lévl. = P. glabratum Lindl. 12:280
- Plectranthus Mairei Lévl. = P. coetsa Hamilt. 16:314
- Podocarpus Mairei Lemée & Lévl. = Keteleeria Davidiana (Bertr.) Beiss. 10:109; 18:254
- Pogostemon lavandulaespica Lévl. = Elsholtzia heterophylla Diels, 18: 244, 361
- Polygala Dunniana Lévl. 18:211
- Taquetii Lévl. = P. japonica Houtt. 18:211
- Polygonum Mairei Lévl. = P. urophyllum Franch. & Bur. 10:184; 17:317
- Statice Lévl. [= P. multiflorum Thunb. 10:185] 10:282; 17:317
- yunnanense Lévl. = P. cuspidatum Sieb. & Zucc. 17:316
- zigzag Lévl. & Vant. = P. emodi Meissn. var. dependens Diels, 10:184; 17:316
- Populus Bonatiana Lévl. = P. Bonatii Lévl. 10:112
- Bonatii Lévl. 10:112; 18:273
- macranthela Lévl. & Vant. 10:111 = P. adenopoda Maxim. 17:65
- rotundifolia Griff. var. macranthela (Lévl. & Vant.) Lévl. [= P. macranthela Lévl. & Vant. 10:111] = P. adenopoda Maxim. 18:273
- Porana Esquirolii Lévl. = P. sinensis Hemsl. 15:318
- Gagnepainiana Lévl. = P. racemosa Roxb. 15:319
- Premna Bodinieri Lévl. 15:324 = P. puberula Pamp. 18:243
- Cavaleriei Lévl. 15:324
- Esquirolii Lévl. = Viburnum congestum Rehd. 16:329
- Mairei Lévl. = Meliosma cuneifolia Franch. 18:218
- Martini Lévl. = P. puberula Pamp. 15:324
- Merinoi Lévl. = Hydrangea strigosa Rehd. 12:277
- Valbrayi Lévl. [= Viburnum foetidum Wall. 16:331] = Viburnum foetidum var. ceanothoides (C. H. Wright) Hand.-Mazz. 17:250

Prosopis Esquirolii Lévl. = Pterolobium punctatum Hemsl. 13:322

Prunus daemonifuga Lévl. & Vant. = P. Persica (L.) Batsch, 13:319

- diamantina Lévl. = P. Maackii Rupr. var. diamantina (Lévl.) Koehne, 13:321
- Dunniana Lévl. = P. Wilsonii (Diels ex Schneid.) Koehne var. leiobotrys Koehne, 17:340
- Fauriei Lévl. = P. Padus L. 13:320
- __ Lyi Blin ex Lévl. = Symplocos paniculata (Thbg.) Miq. 15:297
- Mairei Lévl. = Symplocos paniculata (Thbg.) Miq. 15:297
- myrtacea Lévl. = P. discadenia Koehne, 13:319
- Nakaii Lévl. = P. japonica var. Nakaii (Lévl.) Rehd. 13:319
- odontocalyx Lévl. 13:320
- Persica var. lasiocalyx Lévl. & Vant. = P. Persica (L.) Batsch, 13:319
- var. longistyla Lévl. 13:319
- seoulensis Lévl. = P. Padus L. var. seoulensis (Lévl.) Nakai, 13:320
- Taqueti Lévl. = Rhamnus Taqueti (Lévl.) Schneid. 15:16
- Vanioti Lévl. = P. pubigera (Schneid.) Koehne, 13:320

Psychotria Esquirolii Lévl. = P. rubra (Lour.) Poir. 16:322

- Henryi Lévl. 16:322; 18:248
- Prainii Lévl. 16:322; 18:248
- Pueraria Argyi Lévl. & Vant. = P. Thunbergiana (Sieb. & Zucc.) Benth. 13:331; 18:208
- Bodinieri Lévl. & Vant. = P. Thunbergiana (Sieb. & Zucc.) Benth. 13:331; 18:208
- caerula Lévl. & Vant. = P. Thunbergiana (Sieb. & Zucc.) Benth. 13:331; 18:208, 276
- Koten Lévl. = P. Thunbergiana (Sieb. & Zucc.) Benth. 13:331; 18:208
- Seguini Lévl. = Dunbaria pulchra Benth. 13:332

Pyrus, see Pirus

Quercus Argyi Lévl. = Castanopsis spec. 10:120; 17:71

- brunnea Lévl. = Castanopsis hystrix (Hook. f. & Th.) A. DC. 10: 118; 17:68
- Castanopsis Lévl. [= Castanopsis caudata Franch. 10:119] = Castanopsis neo-Cavaleriei A. Camus, 17:69, 371
- Cavaleriei Lévl. & Vant. [= Castanopsis tribuloides var. echidnocarpa King ex Hook. f. 10:119] = Castanopsis neo-Cavaleriei A. Camus, 17:69, 371
- cepifera Lévl. p. p. [= Castanopsis caudata Franch. 10:119] = Castanopsis Eyrei (Champ.) Tutcher 17:69
- cepifera Lévl. p. p. = Lithocarpus spicata Rehd. & Wils. 10:120

- Quercus coreana Lévl. [= Q. serrata Thunb. 10:120; 17:71] = Q.glandulifera Bl. 18:274
- cryptoneuron Lévl. = Castanopsis cryptoneuron Rehd. 10:119; 17:71
- Dunniana, Lévl. = Sageretia rugosa Hance, 15:12
- Franchetiana Lévl. = Castanopsis tibetana Hance, 10:119; 17:70
- funebris Lévl. = Q. mongolica Fisch. ex Turcz. in Ledeb. 10:120
- guyavaefolia Lévl. 10:121; 17:71
- kasaiensis Lévl. = Q. acuta Thunb. 10:122
- Kasaimok Lévl. = Q. acuta Thunb. 10:122
- Mairei Lévl. = Lithocarpus spec. 10:120
- pinfaensis Lévl. = Castanopsis Fargesii Franch. 10:119
- Prainiana Lévl. 10:121; 17:72
- pseudoglauca Lévl. = Q. acuta Thunb. 10:122
- quelpaertensis Lévl. = Q. acuta Thunb. 10:122
- Taquetii Lévl. = Q. glauca Thunb. 10:121
- trinervis Lévl. [= Castanopsis caudata Franch. 10:119] = Castanopsis Eyrei (Champ.) Tutcher, 17:69
- Vaniotii Lévl. = Q. glauca Thunb. 10:121; 17:72

Rapanea aurea Lévl. = Eurya nitida Korth. 15:99

Reevesia Cavaleriei Lévl. = R. pubescens Mast. 15:96

- Esquirolii Lévl. = Rhododendron Cavaleriei Lévl. 15:276
- thyrsoidea Lévl. = R. pubescens Mast. 15:96

Rhamnus Bodinieri Lévl. 15:15; 18:219

- Cavaleriei Lévl. (1910) = R. heterophyllus Oliver 15:14
- Cavaleriei Lévl. (1911) = R. Leveilleanus Fedde, 15:17; 18:219
- coriaceifolius Lévl. = Sideroxylon Wightianum Hook. & Arn. 15:294
- Esquirolii Lévl. 15:14; 18:219
- hamatidens Lévl. 15:17
- Martini Lévl. = Rhamnella Martini (Lévl.) Schneid. 15:11, 377; 18:219
- myrtillus Lévl. = Myrsine africana L. 15:293
- Pasteuri Lévl. = Gardneria multiflora Mak. 15:309
- pruniformis Lévl. = R. leptophyllus Schneid. 15:17
- pseudo-frangula Lévl. = R. crenatus Sieb. & Zucc. 15:13
- Schneideri Lévl. & Vant. 15:17
- serpyllifolius Lévl. 15:16
- Taqueti (Lévl.) Lévl. 15:16

Raphidophora Dunniana Lévl. 17:57

Rhododendron albicaule Lévl. = R. decorum Franch. 15:270

- Argyi Lévl. = R. mucronatum (Bl.) G. Don, 15:278

```
REHDER, LIGNEOUS PLANTS DESCRIBED BY LEVEILLE
                                                                307
1937]
Rhododendron Bachii Lévl. 15:275; 18:229
— Blinii Lévl. = R. lutescens Franch. 15:271
— caeruleum Lévl. 15:273; 18:229, 361
— Cavaleriei Lévl. 15:276
— var. Chaffanjoni Lévl. = R. stamineum Franch. 15:275
— Chaffanjoni Lévl. = R. stamineum Franch. 15:275
- chrysocalyx Lévl. & Vant. 6:200; 15:276; 18:230
— cordatum Lévl. = R. Souliei Franch. 15:270
— crenatum Lévl. = R. racemosum Franch. 15:274
- cruentum Lévl. 15:269
— denudatum Lévl. 15:269; 18:229
— Duclouxii Lévl. [= R. spinuliferum Franch. 15:274] = \times R.
     Duclouxii Lévl. (R. spiciferum X spinuliferum), fide Hand.-Mazz.
     18:229
— eriandrum Lévl. = R. caeruleum Lévl. 15:273
— Esquirolii Lévl. 15:276; 18:229
— euonymifolium Lévl. 15:273
- farinosum Lévl. 15:269
— Feddei Lévl. 15:278
— Franchetianum Lévl. = R. decorum Franch. 15:270
— fuchsiaeflora Lévl. = R. spinuliferum Franch. 15:274
— fuchsiifolium Lévl. 15:276
— Giraudiasii Lévl. = R. decorum Franch. 15:270
— hallaisanense Lévl. = R. yedoense Maxim. var. poukhanense (Lévl.)
     Nakai, 15:277
— Jahandiezii Lévl. = R. siderophyllum Franch. 15:272
— kouytchense Lévl. = R. chrysocalyx Lévl. 18:230
— Leclerei Lévl. 15:271
— Lemeei Lévl. = R. lutescens Franch. 15:271
— leucandrum Lévl. 15:272
— liliiflorum Lévl. 15:271
— Lyi Lévl. 15:271
— Mairei Lévl. = R. lacteum Franch. 15:269
— Maximowiczianum Lévl. 15:278 = R. irroratum Franch. 18:229,
```

— missioniarium Lévl. 15:271

Nakai, 15:277

- rex Lévl. 15:270; 18:229

— motsouense Lévl. = R. racemosum Franch. 15:274

— poukhanense Lévl. = R. yedoense Maxim. var. poukhanense (Lévl.)

— nanum Lévl. = R. polycladum Franch. 15:273

- Rhododendron *rubro-punctatum* Lévl. & Vant. = R. Bodinieri Franch. 15:272
- Seguini Lévl. = R. Bodinieri Franch. 15:272
- spinigerum Lévl. = R. chrysocalyx Lévl. & Vant. 15:276
- tapelouense Lévl. = R. tatsienense Franch. 15:272
- Taquetii Lévl. = R. mucronulatum Turcz. 15:275
- umbelliferum Lévl. 15:277
- Vaniotii Lévl. = R. Esquirolii Lévl. 15:276; 18:229
- xanthoneuron Lévl. = R. denudatum Lévl. 15:269
- Rhus Argyi Lévl. = Pistacia chinensis Bge. 14:238
- Blinii Lévl. = Cipadessa baccifera Miq. var. sinensis Rehd. & Wils. 14:227, 426
- Bodinieri Lévl. = Spondias axillaris Roxb. 14:237
- Bofillii Lévl. = Meliosma Oldhami Miq. 15:10
- Cavaleriei Lévl. = Eurycorymbus Cavaleriei (Lévl.) Rehd. & Hand.-Mazz. 15:8; 18:217
- echinocarpa Lévl. p. p. = R. punjabensis Stewart var. sinica (Diels) Rehd. & Wils. 14:238
- echinocarpa Lévl. p. p. = R. trichocarpa Miq. 14:239
- Esquirolii Lévl. = R. punjabensis Stewart var. sinica (Diels) Rehd.
 & Wils. 14:238
- gummifera Lévl. = Pistacia chinensis Bge. 14:238
- Mairei Lévl. = R. punjabensis Stewart var. sinica (Diels) Rehd. & Wils. 14:238

Rhynchosia Argyi Lévl. = Glycine Soja Sieb. & Zucc. 18:208

Ribes pachysandroidea Lévl. = R. laurifolium Jancz. 12:279

Rosa adenoclada Lévl. 13:314; 17:339

- Argyi Lévl. = R. lucidissima Lévl. 18:257
- Banksiae f. aculeata Lévl. = R. Banksiae Ait. 13:315
- f. albiflora Lévl. = R. Banksiae Ait. 13:315
- f. luteiflora Lévl. = R. Banksiae f. lutea Lindl. 13:315
- f. subinermis Lévl. = R. Banksiae Ait. 13:315
- Blinii Lévl. = R. multiflora var. carnea Thory, 13:311
- Bodinieri Lévl. & Vant. [=R. microcarpa Lindl. 13:314]=R. cymosa Tratt. 17:339; 18:257
- Cavaleriei Lévl. [= R. microcarpa Lindl. 13:314] = R. cymosa Tratt. 17:339; 18:257
- Chaffanjoni Lévl. & Vant. [=R. microcarpa Lindl. 13:314]=R. cymosa Tratt. 17:339; 18:257
- Charbonneaui Lévl. = R. longicuspis A. Bertol. 13:314
- clavigera Lévl. = R. Brunonii Lindl. 13:312
- Duclouxii Lévl. = R. odorata var. gigantea (Coll.) Rehd. & Wils. 13:317

- Rosa Esquirolii Lévl. & Vant. [=R. microcarpa Lindl. 13:314] = R. cymosa Tratt. 17:339; 18:257
- Fauriei Lévl. p. p. = R. Maximowicziana Reg. 13:312
- Fauriei Lévl. p. p. = R. acicularis Lindl. 13:317
- gechouitangensis Lévl. = R. odorata Sweet, 13:316
- Gentiliana Lévl. & Vant. 13:313; 17:338
- var. adenoclada (Lévl.) Lévl. = R. adenoclada Lévl. 13:314
- iochanensis Lévl. = R. sertata Rolfe, 13:318
- Korsakoviensis Lévl. = R. acicularis Lindl. 13:317; 18:257
- Lebrunii Lévl. = R. multiflora var. carnea Thory, 13:311
- lucidissima Lévl. 13:316; 18:257
- macrophylla var. hypoleuca Lévl. = R. multiflora var. cathayensis Rehd. & Wils. 13:311
- Mairei Lévl. 13:319; 17:339
- Marrettii Lévl. 13:318; 18:257
- mokanensis Lévl. p. p. [= R. multiflora var. quelpaertensis (Lévl.) Rehd. & Wils. 13:310] = R. multiflora var. mokanensis (Lévl.) Rehd. 17:336
- mokanensis Lévl. p. p. = R. Wichuraiana Crép. 13:311
- Nakaiana Lévl. = R. multiflora Thunb. var. adenophora Franch. & Sav. 13:310; 17:336
- oulengensis (sic) Lévl. = R. odorata Sweet, 13:316
- Parmentieri Lévl. = R. Davidi Crép. var. elongata Rehd. & Wils. 13:318; 17:339
- Patrum Lévl. = R. cymosa Tratt. 17:339, in discuss.
- quelpaertensis Lévl. = R. multiflora var. quelpaertensis (Lévl.) Rehd. & Wils. 13:310; 17:337
- Rubus Lévl. & Vant. 13:312; 17:338
- var. yunnanensis Lévl. = R. Rubus Lévl. & Vant. 13:312
- sericea f. aculeata Focke ex Lévl. = R. omeiensis Rolfe, 13:318
- f. eglandulosa Lévl. = R. omeiensis Rolfe, 13:318
- f. inermis Lévl. = R. omeiensis Rolfe, 13:318
- Sorbus Lévl. = R. omeiensis Rolfe, 13:318; 17:339
- Taqueti Lévl. p. p. = R. acicularis Lindl. 13:317
- Taqueti Lévl. p. p. = R. Wichuraiana Crép. 13:311; 17:338, in discuss.
- tongtchouanensis Lévl. = R. odorata Sweet, 13:316
- Willmottiana Lévl. = R. longicuspis A. Bertol. 13:314; 17:339

Rubus alnifoliolatus Lévl. 18:41

— ampelophyllus Lévl. = R. crataegifolius Bge. f. makinoensis (Lévl. & Vant.) Koidz. 18:39

Rubus ampliflorus Lévl. & Vant. = R. tephrodes Hance var. ampliflorus (Lévl. & Vant.) Hand.-Mazz. 18:30

- andropogon Lévl. = R. multibracteatus Lévl. & Vant. 18:33
- arbor Lévl. & Vant. = R. malifolius Focke 18:28
- Argyi Lévl. = R. Thunbergii Sieb. & Zucc. 18:44
- Blinii Lévl. 18:37
- Bodinieri Lévl. & Vant. = R. Buergeri Miq. 18:37
- Bonati Lévl. = R. foliolosus D. Don, 18:48
- Boudieri Lévl. = R. foliolosus D. Don, 18:48
- calycacanthus Lévl. 18:31
- var. Buergerifolia Lévl. = R. calycacanthus Lévl. 18:31
- Cavaleriei Lévl. & Vant. = R. setchuenensis Bur. & Franch. 18:34
- Chaffanjoni Lévl. & Vant. = R. amphidasys Focke, 18:35
- coreanus Miq. var. Nakaianus Lévl. = R. coreanus Miq. 18:46
- crataegifolius Bge. var. subcrataegifolius Lévl. & Vant. = R. incisus var. subcrataegifolius (Lévl. & Vant.) Rehd. 18:40
- croceacanthus Lévl. 18:42
- Darrisii Lévl. = R. calycacanthus Lévl. 18:31
- diamantinus Lévl. = R. idaeus var. diamantinus (Lévl.) Rehd. 18:52
- Duclouxii Lévl. = R. Delavayi Franch. 18:41
- erectifolius Lévl. = R. crataegifolius Bge. f. makinoensis (Lévl. & Vant.) Koidz. 18:39
- Esquirolii Lévl. 18:34
- Fauriei Lévl. & Vant. 18:38
- Feddei Lévl. & Vant. 18:35
- Franchetiana Lévl. = R. fragarioides Bertol. var. adenophora Franch. 18:26
- Gentilianus Lévl. & Vant. 18:29
- Grossularia Lévl. & Vant. = R. incisus Thbg. 18:40
- hastifolius Lévl. & Vant. 18:36
- Hoatiensis Lévl. = R. coreanus Miq. 18:46
- holadenus Lévl. 18:31
- ikenoensis Lévl. & Vant. 18:27
- illudens Lévl. 18:48
- itoensis Lévl. & Vant. = R. crataegifolius f. itoensis (Lévl. & Vant.) Koidz. 18:39
- Jamini Lévl. & Vant. = R. irenaeus Focke, 18:36
- kanayamensis Lévl. & Vant. 18:51
- kerriifolius Lévl. & Vant. = R. corchorifolius L. f. 18:37
- Kinashii Lévl. & Vant. = R. mesogaeus Focke, 18:50
- var. coreensis Lévl. & Vant. = R. adenochlamys (Focke) Focke, 18:49

Rubus Kuntzeanus var. xanthacantha (Lévl.) Lévl. = R. innominatus var. Kuntzeanus (Hemsl.) Bailey, 18:49

- Labbei Lévl. & Vant. = R. calycacanthus Lévl. 18:31
- longistylus Lévl. = R. foliolosus D. Don, 18:48
- Lyi Lévl. 18:35
- Mairei Lévl. (1912) 18:28
- Mairei Lévl. (1913) = R. foliolosus D. Don, 18:48
- Makinoensis Lévl. & Vant. = R. crataegifolius Bge. f. makinoensis (Lévl. & Vant.) Koidz. 18:39
- marmoratus Lévl. & Vant. 18:42
- Matsumuranus Lévl. & Vant. = R. idaeus var. Matsumuranus (Lévl. & Vant.) Koidz. 18:52
- minimiflorus Lévl. = R. Lambertianus Ser. var. minimiflorus (Lévl.) Cardot, 18:30
- minusculus Lévl. & Vant. 18:41
- Mongouilloni Lévl. & Vant. = R. alceaefolius Poir. 18:32
- Mouyousensis Lévl. = R. chroosepalus Focke, 18:28
- multibracteatus Lévl. & Vant. 18:33
- var. Demangei Lévl. = R. alceaefolius Poir. 18:32
- myriadenus Lévl. = R. sumatranus Miq. 18:43
- var. grandifoliolatus Lévl. = R. sumatranus Miq. 18:43
- Nakaianus Lévl. = R. coreanus Miq. 18:46
- ouensanensis Lévl. & Vant. = R. crataegifolius f. itoensis (Lévl. & Vant.) Koidz. 18:39
- Papyrus Lévl. = R. ichangensis Hemsl. & Ktze. 18:29
- paykouangensis Lévl. 18:30
- petaloides Lévl. = R. chroosepalus Focke, 18:28
- pinfaensis Lévl. & Vant. 18:50
- _ pseudosaxatilis Lévl. = R. coreanus Miq. 18:46
- var. Kouytchensis Lévl. = R. coreanus Miq. 18:46
- Pyi Lévl. = R. micranthus D. Don, 18:45
- quelpaertensis Lévl. = R. coreanus Miq. 18:46
- refractus Lévl. 18:27
- Rocheri Lévl. 18:27
- sachalinensis Lévl. = R. idaeus var. aculeatissimus Reg. & Tiling, 18:53
- schizostylus Lévl. 18:48
- sino-Sudrei Lévl. 18:36
- stephanandria Lévl. 18:44
- subcrataegifolius (Lévl. & Vant.) Lévl. = R. incisus Thunb. var. subcrataegifolius (Lévl. & Vant.) Rehd. 18:40

- Rubus suberectifolius Lévl. = R. crataegifolius Bge. f. makinoensis (Lévl. & Vant.) Koidz. 18:39
- talaikiaensis Lévl. = R. Thunbergii Sieb. & Zucc. 18:44
- Taquetii Lévl. = R. parvifolius L. 18:47
- Thunbergii Sieb. & Zucc. var. Argyi (Lévl.) Lévl. = R. Thunbergii Sieb. & Zucc. 18:44
- Thunbergii var. talaikiaensis (Lévl.) Lévl. = R. Thunbergii Sieb. & Zucc. 18:44
- tongchouanensis Lévl. 18:45
- triflorus Rich. var. diversifolius Lévl. = R. pseudojaponicus Koidz. 18:26
- umbellifer Lévl. = Grewia biloba var. parviflora (Bge.) Hand.-Mazz. 15:93
- Vanioti Lévl. = R. corchorifolius L. f. 18:37
- xanthacantha Lévl. = R. innominatus S. Moore var. Kuntzeanus (Hemsl.) Bailey, 18:49
- Yabei Lévl. & Vant. = R. idaeus var. Yabei (Lévl. & Vant.) Koidz. 18:51
- Sabia Cavaleriei Lévl. = Orixa japonica Thunb. 14:224
- Dielsii Lévl. 15:9
- Dunnii Lévl. = S. gracilis Hemsl. 15:9
- edulis Lévl. p. p. = Iodes ovalis Bl. 15:2
- edulis Lévl. p. p. = Iodes Seguini (Lévl.) Rehd. 15:3
- Esquirolii Lévl. = Gardneria multiflora Makino, 15:309
- Feddei Lévl. = Orixa japonica Thunb. 14:224
- parviflora var. nitidissima Lévl. 15:10
- Sageretia Bodinieri Lévl. = Rhamnus Esquirolii Lévl. 15:14
- Salix andropogon Lévl. & Vant. 10:117; 18:255, 361
- angiolepis Lévl. & Vant. 10:113; 18:255
- anisandra Lévl. & Vant. 10:113 = S. dodecandra Lévl. 18:254
- Argyi Lévl. = S. Wilsonii Seemen, 10:112; 18:254
- Blinii Lévl. 10:117; 18:274
- Camusii Lévl. 10:115 = S. dodecandra Lévl. 18:254
- Cavaleriei Lévl. 10:113; 17:65; 18:254
- dodecandra Lévl. 10:112; 18:254
- dolichostyla var. hirosakensis Lévl. & Vant. = S. hondoensis Koidz. 10:114
- Duclouxii Lévl. (1909), 10:117; 17:66 = S. variegata Franch. 18:255
- var. kouytchensis Lévl. [= S. kouytchensis (Lévl.) Schneid. 10:117 = S. Duclouxii Lévl. 17:66] = S. variegata Franch. 18:255

- Salix Duclouxii Lévl. (1915) [= S. Kouytchensis (Lévl.) Schneid.] = S. variegata Franch. 18:255
- erioclada Lévl. 10:115; 17:65; 18:255
- Feddei Lévl. = S. koreensis Anderss. 10:114; 18:273
- funebris Lévl. = S. Wallichiana Anderss. 10:116; 18:255
- gymnolepis Lévl. [= S. Makinoana Seemen, 10:114] = S. Gilgiana Seemen, 18:274
- hallaisanensis Lévl. [= S. caprea L. 10:116] 18:273
- var. nervosa Lévl. [= S. caprea L. 10:116] 18:273
- hamatidens Lévl. 10:114
- ignicoma Lévl. & Vant. = S. vulpina Anderss. 10:115
- japonica var. nippoensis Lévl. = S. japonica Thunb. 10:116
- Kinashii Lévl. = S. amygdalina L. var. nipponica (Franch. & Sav.) Schneid. 10:113; 18:273
- korsakoviensis Lévl. = S. sachalinensis Fr. Schmidt, 10:117
- luctuosa Lévl. 10:115; 17:66; 18:255
- Mairei Lévl. = S. Wallichiana Anderss. 10:116; 18:255
- pachyclada Lévl. 10:116 = S. Wallichiana Anderss. 18:255
- pogonandra Lévl. = S. koreensis Anderss. 10:114; 18:273
- polyandra Lévl. = S. Cavaleriei Lévl. 10:113; 18:254
- pseudo-Gilgiana Lévl. = S. koreensis Anderss. 10:114; 18:273
- pseudo-jessoensis Lévl. = S. koreensis Anderss. 10:114; 18:273
- pseudo-lasiogyne Lévl. = S. koreensis Anderss. 10:114; 18:273
- Pyi Lévl. = S. Cavaleriei Lévl. 10:113; 18:254
- sapporoensis Lévl. 10:117
- Shirai var. vulcaniana Lévl. & Vant. = S, vulpina Anderss. 10:115
- Taquetii Lévl. = S. Blinii Lévl. 10:117; 18:273
- yunnanensis Lévl. = S. Cavaleriei Lévl. 10:113; 18:254
- Sambucus Argyi Lévl. = S. javanica Bl. var. Argyi (Lévl.) Rehd. 16:328
- Sarcopyramis Bodinieri Lévl. & Vant. = S. napalensis Wall. 18:227
- nepalensis var. Bodinieri (Lévl. & Vant.) Lévl. = S. napalensis Wall. 18:227

Saurauja Vanioti Lévl. = Celastrus Vanioti (Lévl.) Rehd. 14:249

Schizandra hypoglauca Lévl. = S. Henryi Clarke, 10:191

Senecio Gentilianus Vaniot = S. saxatilis Wall. ex DC. 18:253

Sideroxylon Bodinicri Lévl. = Handeliodendron Bodinieri (Lévl.) Rehd. 16:66, fig., pl. 119; 18:217

Sloanea *Hanceana* Lévl. non Hemsl. = Sloanea sinensis (Hance) Hu, 15:91

Smilax Blinii Lévl. = S. glabra Roxb. 10:110; 17:58

— Bodinieri Lévl. & Vant. = S. glauco-china Warb. 17:61

- Smilax castaneiflora Lévl. 10:111; 17:62
- Cavaleriei Lévl. & Vant. apud Lévl. = S. scobinicaulis Wright, 17:60
- China "L." ex Lévl., non L. = S. glauco-china Warb. 17:61
- —— f. obtusa Lévl. = S. China L. 17:61
- Darrisii Lévl. 10:111 = S. microphylla Wright, 17:59
- Dunniana Lévl. = S. glabra Roxb. 17:58
- Esquirolii Lévl. = S. leucocarpa Lévl. & Vant. apud Lévl. 17:60
- glabra Roxb. var. maculata Bodinier ex Lévl. = S. glabra Roxb. 17:58
- gracillima Lévl. & Vant. = S. microphylla Wright, 17:59
- herbacea L. var. foetida Lévl. = S. herbacea L. var. acuminata Wright, 17:58
- var. heterophylla Lévl. = S. herbacea L. var. acuminata Wright, 17:58
- Labordei Lévl. & Vant. = S. microphylla Wright, 17:59
- Lebrunii Lévl. = S. micropoda A. DC. var. reflexa Norton, 17:62
- leucocarpa Lévl. & Vant. 17:60
- loupouensis Lévl. [= S. ferox Wall. 10:110] = S. megalantha Wright, 17:60
- luteocaulis Lévl. 10:111 = S. menispermoidea A. DC. 17:62
- Lyi Lévl., 17:63
- Mairei Lévl. 10:111 = S. microphylla Wright, 17:59
- Martini Lévl. & Vant. = S. scobinicaulis Wright, 17:60
- ocreata Lévl. & Vant. apud Lévl. = S. scobinicaulis Wright, 17:60
- perulata Lévl. & Vant. = S. perfoliata Lour. 17:64
- Pinfaensis Lévl. & Vant. apud Lévl. = S. cocculoides Warb. var. lanceolata Norton, 17:63
- stemonifolia Lévl. & Vant. apud Lévl. 17:62
- Taquetii Lévl. = S. China L. 17:61
- tortopetiolata Lévl. & Vant. ex Lévl. 17:63
- Solanum Bodinieri Lévl. = S. aculeatissimum Jacq. 16:314
- Cavaleriei Lévl. = S. aculeatissimum Jacq. 16:314
- Dunnianum Lévl. = S. Capsicastrum Link ex Schauer 18:245
- Heudesii Lévl. = S. cornutum Lam. 18:245, 361
- Sonerila Cavaleriei Lévl. = Oxyspora paniculata DC. 15:110
- Esquirolii Lévl. = Plagiopetalum Esquirolii (Lévl.) Rehd. 15:110
- Sophora Cavaleriei Lévl. = S. glauca var. albescens Rehd. 13:323
- Mairei Lévl. = S. japonica L. 13:322
- Sorbus Aria var. Mairei Lévl. = S. Keissleri (Schneid.) Rehd. 13:304
- Mairei Rehd. & Lévl. ex Lévl. = S. Keissleri (Schneid.) Rehd. 13:304
- Valbrayi Lévl. = S. Koehneana Schneid. 13:303
- Speranskia tonkinensis Lévl. = S. cantonensis (Hance) Pax & Hoffm. 14:232

- Spiraea atemnophylla Lévl. = S. Veitchii Hemsl. 13:301
- Bodinieri Lévl. = S. japonica L. f. var. acuminata Franch. 13:301
- var. concolor Lévl. = S. japonica L. f. var. acuminata Franch. 13:301
- Cavaleriei Lévl. 13:300
- Esquirolii Lévl. = S. japonica L. f. var. acuminata Franch. 13:301
- Fauriei Lévl. = S. media Schmidt var. monbetsusensis (Franch.)
 Cardot, 13:299
- holorhodontha Lévl. = Rodgersia pinnata Franch. 13:301, in nota.
- Mairei Lévl. 13:301
- Martini Lévl. 13:300; 17:334
- microphylla Lévl. = S. ovalis Rehd. 13:300
- ouensanensis Lévl. = S. pubescens Turcz. 13:300

Stachyrus Esquirolii Lévl. = S. yunnanensis Franch. 15:103

Stellera Bodinieri Lévl. = S. Chamaejasme L. 15:106

Stemona Argyi (Lévl. & Vant.) Lévl. = S. japonica (Bl.) Miq. 17:57

Stephanotis yunnanensis Lévl. 15:317 = Marsdenia stenantha Hand.-Mazz. 18:241

Sterculia Bodinieri Lévl. [= Phyllanthus spec. 14:231] = Phyllanthus Bodinieri (Lévl.) Rehd. 18:212

- malvacea Lévl. = Eriolaena malvacea (Lévl.) Hand.-Mazz. 15:95
- tiliacea Lévl. = Grewia abutilifolia Vent. ex Juss. 15:93

Stranvaesia Argyi Lévl. = Photinia serrulata Lindl. 13:306

Strobilanthes deutziaefolia (Lévl.) Lévl. = Abelia Schumannii (Graebn.) Rehd. 16:334

- hypericifolia (Lévl.) Lévl. = Abelia myrtilloides Rehd. 16:334
- lofouensis Lévl., 18:247
- yangtsekiangensis Lévl. = Cystacanthus yangtsekiangensis (Lévl.) Rehd. 16:315
- Strobilanthopsis deutziaefolius Lévl. = Abelia Schumannii (Graebn.) Rehd. 16:334
- hypericifolius Lévl. = Abelia myrtilloides Rehd. 16:334

Strychnos Esquirolii Lévl. = Zizyphus pubinervis Rehd. 18:218

Styrax Argyi Lévl. 15:295; 18:233

- Bodinieri Lévl. = S. japonicus Sieb. & Zucc. 15:295; 18:233
- Cavaleriei Lévl. (1907) = S. grandiflorus Griff. 15:296; 18:233
- Cavaleriei Lévl. (1911) = Pterostyrax Leveillei (Fedde) Chun, 15:295; 18:233
- Esquirolii Lévl. = Deutzia Esquirolii (Lévl.) Rehd. 12:276; 14:202
- Leveillei Fedde ex Lévl. = Pterostyrax Leveillei (Fedde) Chun, 15:295

Styrax touchanensis Lévl. = S. grandiflorus Griff. 15:296; 18:233

Symplocos Argyi Lévl. = S. setchuensis Brand, 15:296

- aurea Lévl. = S. lancifolia Sieb. & Zucc. 15:299
- Balfourii Lévl. = S. Bodinieri Brand, 15:299
- Bodinieri Lévl., non Brand = S. punctata Brand, 15:300
- caerulea Lévl. = S. botryantha Franch. 15:300
- Cavaleriei Lévl. 15:300
- coronigera Lévl. 15:296 = S. Ernesti Dunn, 18:233
- Courtoisii Lévl. = Ilex purpurea Hassk. 18:215
- Dielsii Lévl. = S. anomala Brand, 15:300
- Dunniana Lévl. = S. stellaris Brand, 15:301
- Esquirolii Lévl. = S. anomala Brand, 15:300
- Mairei Lévl. 15:301
- Martini Lévl. 15:300
- pinfaensis Lévl. 15:298
- Prainii Lévl. = S. adenopus Hance, 15:301
- Seguini Lévl. = Eriobotrya Seguini (Lévl.) Cardot, 13:308
- spicata "Roxb." ex Lévl., non Roxb. = S. pinfaensis Lévl. 15:298
- splendens Lévl. = S. punctata Brand, 15:300
- Stapfiana Lévl. = S. fasciculata Zoll. var. chinensis Brand, 15:298
- vinoso-dentata Lévl. = S. laurina (Retz.) Wall. 15:298
- xanthoxantha Lévl. [= S. coronigera Lévl. 15:296] = S. Ernesti Dunn, 18:233

Syringa Fauriei Lévl., 15:303

Tecoma Cavaleriei Lévl. = Staphylea holocarpa Hemsl. 15:1

— Mairei Lévl. = Incarvillea Delavayi Bur. & Fr. 16:315

Terminalia Kouytchensis Lévl. = Gouania javanica Miq. 15:18

— Mairei Lévl. = Combretum Wallichii DC. 15:108

Teucrium Esquirolii Lévl. = Plectranthus ternifolius D. Don, 16:313

- Thea Camellia var. lucidissima Lévl. [= Thea Pitardii var. lucidissima (Lévl.) Rehd. 15:99] = Camellia Pitardii C. Stuart var. lucidissima (Lévl.) Rehd. 18:223
- Cavaleriana Lévl. [= Thea Grijsii (Hance) Kochs, 15:98] = Camellia Grijsii Hance, 18:223
- chinensis var. androxantha Lévl. [= Thea Costei (Lévl.) Rehd. 15:98] = Camellia Costei Lévl. 18:223
- Mairei Lévl. [= Thea Pitardii (C. Stuart) Rehd. p. p. 15:98] = Camellia Mairei (Lévl.) Melchior, 18:223
- podogyna Lévl. [= Thea oleosa Lour. 15:98] = Camellia oleosa (Lour.) Rehd. 18:223

Thuja orientalis L. var. Argyi Lévl. & Lemée = T. orientalis L. 17:55

- Thymus Cavaleriei Lévl. = Micromeria biflora Benth., 16:312
- Tilia Kinashii Lévl. & Vant. = T. Miqueliana Maxim. 15:92
- tuan var. Cavaleriei V. Engl. & Lévl. = T. tuan Szysz. 15:92
- Trachelospermum Cavaleriei Lévl. 15:316 = Cryptolepis Buchanani Roem. & Schult. 18:239
- Dunnii Lévl. 15:311
- Esquirolii Lévl. [= Melodinus khasianus Hook. f. 15:313] = Melodinus Hemsleyanus Diels, 18:234, 361
- Navillei Lévl. = Aganosma cymosa (Roxb.) G. Don, 15:315; 18:237
- rubrinerve Lévl. p. p. = Trachelospermum Dunnii (Lévl.) Lévl. 18:237, 361
- rubrinerve Lévl. p. p. = Trachelospermum gracilipes Hook. f. 15:311; 18:236
- Trema Dunniana Lévl. = T. orientalis Bl. 10:123
- Trifolium? polygonum Lévl. = Lespedeza striata (Thunb.) Hook. & Arn. 13:329
- Tsuga Mairei Lemée & Lévl. = Taxus chinensis (Pilger) Rehd. 17:54
- Tylophora *Argyi* Schlechter ex Lévl. p. p. = Cynanchum Mooreanum Hemsl. 18:239
- Argyi Schlechter ex Lévl. p. p. = T. floribunda Miq. 18:240
- Cavaleriei Lévl. = Cynanchum caudatum (Miq.) Maxim. 18:239
- Hyopsis Lévl. = T. Dielsii (Lévl.) Hu, 18:241
- Leveilleana Schlechter ex Lévl. 18:240
- Ulmus Cavaleriei Lévl. = Pteroceltis Tatarinowii Maxim. 10:123
- Uvaria Cavaleriei Lévl. = Fissistigma Cavaleriei Rehd. 10:192
- Vaccinium albidens Lévl. & Vant. 15:283
- buxifolium Lévl. = V. triflorum Rehd. 15:287
- Cavaleriei Lévl. & Vant. = Schoepfia jasminodora Sieb. & Zucc. 10:131
- Fauriei Lévl. = V. japonicum Miq. 15:288
- foetidissimum Lévl. & Vant. 15:286
- Mairei Lévl. [= Xolisma ovalifolia (Wall.) Rehd. 15:281] = Lyonia ovalifolia (Wall.) Drude, 18:230
- oligodontum (Lévl.) Lévl. = Maesa japonica (Thbg.) Moritzi ex Zoll. 15:289
- siccum Lévl. & Vant. = V. japonicum var. sinicum (Nakai) Rehd. 15:288
- Taquetii Lévl. = V. bracteatum Thunb. 15:282
- yunnanense Franch. var. Franchetiana Lévl. = Gaultheria yunnanensis (Franch.) Rehd. 15:282
- Vernonia arbor Lévl. [=? V. papillosa Franch. 18:251] 18:277

- Vernonia Esquirolii Vaniot [= Senecio Walkeri Arnott, 18:253, 361] = Senecio Hoi Dunn, 18:277
- Esquirolii Lévl., non Vaniot = Vernonia volkameriaefolia DC. 18:251, 276
- Leveillei Fedde ex Lévl. = V. volkameriaefolia DC. 18:251
- Martini Vaniot = V. saligna DC. 18:251, 277
- Seguini Vaniot = V. saligna DC. 18:251, 277
- spelaeicola Vaniot [= Senecio Walkeri Arnott, 18:253] = Senecio spelaeicola (Vant.) Gagnep. 18:277
- subarborea Vaniot = V. extensa DC. 18:252, 277
- Vanioti Lévl. = V. arborea Ham. 18:250, 276
- Viburnum ajugifolium Lévl. [= V. foetidum Wall. 16:331] = V. foetidum var. ceanothoides (C. H. Wright) Hand.-Mazz. 18:250
- barbigerum Lévl. = V. corylifolium Hook. f. & Th. 16:332
- Bodinieri Lévl. = V. setigerum Hance, 16:332
- botryoideum Lévl. = V. erubescens Wall. 16:328
- Cavaleriei Lévl. 16:329; 18:250
- Chaffanjoni Lévl. = V. ternatum Rehd. 16:330
- Dielsii Lévl. = Callicarpa Dielsii (Lévl.) P'ei, 15:323
- Dunnianum Lévl. = V. corylifolium Hook. f. & Th. 16:332
- Komarovii Lévl. & Vant. = Photinia parvifolia (Pritz.) Schneid. 13:305
- Mairei Lévl. = V. congestum Rehd. 16:329
- Martini Lévl. = V. sympodiale Graebn. 16:329
- pinfaense Lévl. p. p. = V. cylindricum Ham. var. crassifolium (Rehd.) Schneid. 16:330
- pinfaense Lévl. p. p. = V. sempervirens K. Koch, 16:331
- Stapfianum Lévl. = V. oliganthum Batal. 16:328
- Taquetii Lévl. = V. erosum Thbg. var. Taquetii (Lévl.) Rehd. 16:333
- Touchanense Lévl. = V. foetidum Wall. var. rectangulatum (Graebn.) Rehd. 16:331
- Valbrayi Lévl. = V. foetidum var. ceanothoides (C. H. Wright) Hand.-Mazz. 18:250
- Vitex Esquirolii Lévl. = Buddleia asiatica Lour. 15:309
- Vitis Bodinieri Lévl. & Vant. = Ampelopsis Bodinieri (Lévl. & Vant.) Rehd. 15:23
- Cavaleriei Lévl. & Vant. = V. flexuosa Thbg. var. parvifolia (Roxb.)

 Gagnep. 15:18
- Chaffanjoni Lévl. = Ampelopsis Chaffanjoni (Lévl.) Rehd. 15:25; 18:220

- Vitis chrysobotrys Lévl. & Vant. = Iodes ovalis Bl. 15:2
- Delavayana "Franch." ex Lévl., non Franch. = Parthenocissus himalayana (Royle) Planch. var. rubrifolia (Lévl. & Vant.) Gagnep. 15:22
- dichromocarpa Lévl. = Cayratia dichromocarpa (Lévl.) Rehd. 15:27
- Dunniana Lévl. = Ampelopsis aconitifolia Bge. var. palmiloba (Carr.) Rehd. 15:25
- Esquirolii Lévl. & Vant. = Tetrastigma Hemsleyanum Diels & Gilg, 15:19
- Feddei Lévl. Parthenocissus heterophylla (Bl.) Merr. 15:22
- flexuosa "Thunb." ex Lévl. p. p., non Thbg. = V. flexuosa Thbg. var. parvifolia (Roxb.) Gagnep. 15:18
- flexuosa "Thunb." ex Lévl. p. p., non Thbg. = V. Wilsonae Veitch, 15:18
- var. Mairei Lévl. = V. Thunbergii Sieb. & Zucc. var. adstricta (Hance) Gagnep. 15:19
- var. *Mairei* (Lévl.) Lévl. (err.) = Tetrastigma serrulatum (Roxb.) Planch. 15:20
- Gentiliana Lévl. & Vant. = Ampelopsis Delavayana var. Gentiliana (Lévl. & Vant.) Hand.-Mazz. 15:24, 377; 18:219
- heterophylla "Thunb." ex Lévl. p. p., non Thbg. = Ampelopsis Bodinieri (Lévl. & Vant.) Rehd., 15:23
- heterophylla "Thunb." ex Lévl. p. p., non Thunb. = Ampelopsis Bodinieri var. cinerea (Gagnep.) Rehd. 15:23
- heterophylla Thunb. var. aconitifolia Lévl. & Vant. = Ampelopsis aconitifolia Bge. 18:220
- Labordei Lévl. = Tetrastigma Hemsleyanum Diels & Gilg, 15:19
- Lyjoannis Lévl. = Ampelopsis Bodinieri var. cinerea (Gagnep.) Rehd. 15:23
- Mairei Lévl. (1909) p. p. = Tetrastigma serrulatum (Roxb.)
 Planch. 15:20
- Mairei Lévl. (1909) p. p. = Cayratia oligocarpa var. glabra Gagnep. 15:26
- Mairei Lévl. (1912) = Gynostemma pentaphyllum (Thbg.) Makino, 15:27
- Marchandii Lévl. = V. Wilsonae Veitch, 15:18
- Martini Lévl. & Vant. = Gynostemma pentaphyllum, (Thbg.) Makino, 15:27
- megaphylla Lévl. = Ampelopsis Chaffanjoni (Lévl.) Rehd. 15:25
- multijugata Lévl. & Vant. = Ampelopsis cantoniensis (Hook. & Arn.)
 Planch. 15:26

- Vitis obtecta Wall. var. glabra (Lévl.) Lévl. = Tetrastigma obtectum (Wall.) Planch. var. β glabrum Gagnep. 15:21
- var. *Potentilla* (Lévl. & Vant.) Lévl. = Tetrastigma obtectum var. Potentilla (Lévl. & Vant.) Gagnep. 15:21
- var. Potentilla f. glabra (Lévl.) Lévl. = Tetrastigma obtectum
 (Wall.) Planch. var. β glabrum Gagnep. 15:21
- var. Potentilla f. pilosa (Pl.) Lévl. = Tetrastigma obtectum var. Potentilla (Lévl. & Vant.) Gagnep. 15:21
- oligocarpa Lévl. & Vant. = Cayratia oligocarpa (Lévl. & Vant.) Gagnep. 15:26; 18:220
- Potentilla Lévl. & Vant. = Tetrastigma obtectum var. Potentilla (Lévl. & Vant.) Gagnep. 15:21
- var. glabra Lévl. = Tetrastigma obtectum (Wall.) Planch. var. β glabrum Gagnep. 15:21; 18:219
- prunisapida Lévl. & Vant. = V. Davidi (Rom. du Caill.) Foëx, 15:19
- quel paertensis Lévl. = Gynostemma pentaphyllum (Thbg.) Makino, 15:27
- rigida Lévl. & Vant. = Ampelopsis Delavayana Planch. 15:24
- rubrifolia Lévl. & Vant. = Parthenocissus himalayana (Royle) Planch. var. rubrifolia (Lévl. & Vant.) Gagnep. 15:22
- Seguini Lévl. = Iodes Seguini (Lévl.) Rehd. 15:3
- Seguini Lévl. (1914) p. p. = Iodes ovalis Bl. 15:2; 18:276
- Taquetii Lévl. = Parthenocissus tricuspidata (Sieb. & Zucc.) Planch. 15:23
- Webera Cavaleriei Lévl. = Tarenna incerta Koord. & Val. 16:321; 18:248
- Henryi Lévl. = Tarenna incerta Koord. & Val. 16:321; 18:248
- Marchandii Lévl. = Daphniphyllum macropodum Miq. 14:234
- Wendlandia Cavaleriei Lévl. 16:318
- Dunniana Lévl. = W. uvariifolia Hce. subsp. Dunniana (Lévl.) Cowan, 16:318; 18:247
- Feddei Lévl. = W. Cavaleriei Lévl. 16:318
- Wikstroemia *Bodinieri* (Lévl.) Lévl. [=*Alyxia Bodinieri* (Lévl.) Woods. 15:316] = A. Schlechteri Lévl. 18:235, 300
- Hemsleyana Lévl. = Alstonia Mairei Lévl. 15:315; 18:235
- salicina (Lévl.) Lévl. & Blin, 15:104
- Valbrayi Lévl. = W. indica (L.) C. A. Mey. 15:103
- Wrightia Schlechteri Lévl. 15:312; 18:238, 361
- Xanthoceras enkianthiflora Lévl. = Staphylea holocarpa Hemsl. 15:1
- Xylosma Dunniana Lévl. = Xylosma racemosum var. kwangtungense (Metcalf) Rehd. 15:102

Xylosma racemosa "Miq." ex Lévl., vix Miq. = X. racemosum var. kwangtungense (Metcalf) Rehd. 15:102

Zanthoxylon Argyi Lévl. = Z. simulans Hance, 14:223

- Bodinieri Lévl. = Z. dissitum Hemsl. 14:224
- Chaffanjoni Lévl. 14:223; 18:210
- Esquirolii Lévl. = Z. stenophyllum Hemsl. 14:223
- odoratum (Lévl.) Lévl. 14:224 = Z. rhetsioides Drake, 18:209
- oxyphyllum "Edge." ex Lévl. non Edgen. = Z. Chaffanjoni Lévl. 14:223

Zenobia cerasiflora Lévl. = Enkianthus chinensis Franch. 15:279; 18:230

Zizyphus Esquirolii Lévl. = Hovenia dulcis Thunb. 15:17

ARNOLD ARBORETUM
HARVARD UNIVERSITY